

ALPHABETICAL LIST.

Names of FAMILIES are given in capitals.

Names of Genera are printed close to margin and not repeated.

Names of Species are slightly inset.

Names of Synonyms are printed in *italics*.

	PAGE		PAGE
<i>Aberia</i>	423	Acalypha —	
<i>caffra</i> , Hook f.	423	<i>caperonioides</i> , Baill.	396
<i>macrocalyx</i> , Oliv.	423	<i>chhindica</i> , S. Moore	396
<i>Zeyheri</i> , Sond.	423	<i>ciliata</i> , Forsk.	396
<i>Abrus</i>	380	<i>indica</i> , L.	396
<i>precatorius</i> , L.	380	<i>ornata</i> , Hochst.	396
<i>Abutilon</i>	412	<i>paniculata</i> , Miq.	396
<i>angulatum</i> , Mast.	412	<i>peduncularis</i> , Meisn.	396
<i>asiaticum</i> , Don.	413	<i>petiolaris</i> , Hochst.	396
<i>Cecili</i> , N. E. Br.	412	<i>punctata</i> , Meisn.	396
<i>fruticosum</i> , G. & P.	412	<i>segetalis</i> , Müll. Arg.	396
<i>hirsutissimum</i> , Moench	413	<i>senensis</i> , Klotzsch	396
<i>intermedium</i> , Hochst.	412	<i>villicaulis</i> , Hochst.	397
<i>matopense</i> , Gibbs.	413	<i>zaubesica</i> , Müll. Arg.	396
<i>Sonneratianum</i> , Swert.	413	ACANTHACEAE	480
<i>zanzibaricum</i> , Boj.	413	<i>Achyranthes</i>	348
<i>Acacia</i>	361	<i>argentea</i> , Lam.	349
<i>albida</i> , Del.	361	<i>aspera</i> , L.	348
<i>caffra</i> , Willd.	361	var. <i>argentea</i> , C. B. Cl.	349
<i>farnesiana</i> , Willd.	362	var. <i>pinguispicata</i> , C. B. Cl.	349
<i>giraffae</i> , Burch.	362	<i>bidentata</i> , Blume	349
<i>horrida</i> , Willd.	362	<i>leptostachya</i> , E. Mey.	349
<i>mimosoides</i> , L.	362	<i>Achyrocline</i>	510
<i>natalitia</i> , E. Mey.	362	<i>batocana</i> , O. & H.	510
<i>nigrescens</i> , Oliv.	362	<i>Achyropsis</i>	349
var. <i>pallida</i> , Oliv.	362	<i>leptostachya</i> , Hook f.	349
<i>pennata</i> , Willd.	362	<i>Achyrospermum</i>	462
<i>rehmanniana</i> , Schinz.	362	<i>Carvalhi</i> , Gürke	462
<i>Rovumae</i> , Oliv.	362	<i>Acocanthera</i>	444
<i>Senegal</i> , Willd.	362	<i>venenata</i> , G. Don.	444
<i>Seyal</i> , Del.	362	<i>Acridocarpus</i>	390
var. <i>multijuga</i> , Schwenf.	362	<i>Galphimieifolius</i> , Juss.	390
<i>Suma</i> , Kurz.	362	<i>pruriens</i> , Juss.	390
<i>Verek</i> , G. & P.	363	<i>Acrocephalus</i>	465
<i>Welwitschii</i> , Oliv.	363	<i>callianthus</i> , Briq.	465
<i>xanthophloea</i> , Benth.	363	<i>chirindensis</i> , S. Moore	465
<i>Acalypha</i>	395	<i>picturatus</i> , S. Moore	465
<i>Allenii</i> , Hutch.	395	<i>sericeus</i> , Briq.	466

	PAGE		PAGE
Acrostichum	288	Albizzia	361
latifolium, <i>Sw.</i>	288	<i>amara</i> , <i>Boiv.</i>	361
<i>lineare</i> , <i>Fte</i>	288	<i>anthelmintica</i> , <i>Brongn.</i>	361
<i>viscosum</i> , <i>Sw.</i>	288	<i>antunesiana</i> , <i>Harms</i>	361
Acrotome sp.	461	<i>fastigiata</i> , <i>E. Mey.</i>	361
Actinopteris	286	<i>var. chirindensis</i> , <i>Swyn.</i>	361
<i>radiata</i> , <i>Link.</i>	286	<i>Harveyi</i> , <i>Fourn.</i>	361
Adansonia	417	<i>hypoleuca</i> , <i>Oliv.</i>	361
<i>digitata</i> , <i>L.</i>	417	<i>mozambicensis</i> , <i>Sim</i>	361
Adenia	424	<i>pallida</i> , <i>Harv.</i>	361
<i>senensis</i> , <i>Engl.</i>	424	<i>versicolor</i> , <i>Welw.</i>	361
Adenium	446	Albua	323
<i>multiflorum</i> , <i>Klotzsch</i>	446	<i>caudata</i> , <i>Jacq.</i>	323
Adenodolichos sp.	385	<i>Melleri</i> , <i>Bak.</i>	323
Adenostemma	506	<i>tayloriana</i> , <i>Rendle</i>	323
<i>cafrum</i> , <i>DC.</i>	506	<i>Wakefieldii</i> , <i>Bak.</i>	323
<i>Dregei</i> , <i>DC.</i>	506	<i>Alectra</i>	473
<i>viscosum</i> , <i>Forst.</i>	506	<i>communis</i> , <i>Hemsl.</i>	473
<i>Adhatoda</i>	486	<i>kilimandjarica</i> , <i>Hemsl.</i>	473
<i>Bagshawei</i> , <i>S. Moore</i>	486	<i>melampyroides</i> , <i>Benth.</i>	474
<i>Eylesii</i> , <i>S. Moore.</i>	486	<i>pumila</i> , <i>Benth.</i>	473
Adiantum	286	Alepiea	434
<i>æthiopicum</i> , <i>L.</i>	286	<i>amatymbica</i> , <i>E. & Z.</i>	434
<i>capillus-veneris</i> , <i>L.</i>	286	<i>propinqua</i> , <i>Dümmer</i>	434
<i>caudatum</i> , <i>L.</i>	286	<i>Swynnertonii</i> , <i>Dümmer</i>	434
<i>lunulatum</i> , <i>Burm.</i>	286	ALISMACEAE	293
<i>Oatesii</i> , <i>Bak.</i>	286	Allophylus	405
Adina	490	<i>alnifolius</i> , (<i>Bak.</i>) <i>Radlk.</i>	405
<i>microcephala</i> , <i>Hiern</i>	490	<i>chirindensis</i> , <i>Bak. f.</i>	405
Æolanthus	463	<i>rubrifolius</i> , (<i>Hochst.</i>)	405
<i>crenatus</i> , <i>S. Moore</i>	463	Aloe	322
<i>Rehmannii</i> , <i>Gürke</i>	463	<i>excelsa</i> , <i>Berger.</i>	322
<i>sericeus</i> , <i>Gürke</i>	463	<i>rhodesiana</i> , <i>Rendle</i>	323
Aerva	348	<i>Swynnertonii</i> , <i>Rendle</i>	323
<i>lanata</i> , <i>Juss.</i>	348	<i>Alsodia</i>	421
<i>leucura</i> , <i>Moq.</i>	348	<i>convallarioides</i> , <i>Bak. f.</i>	421
Aeschynomene	377	<i>gagensis</i> , <i>Bak. f.</i>	422
<i>cristata</i> , <i>Vatke.</i>	377	Alternanthera	349
<i>elathroxylon</i> , <i>Desv.</i>	377	<i>achyrantha</i> , <i>R. Br.</i>	349
<i>gagensis</i> , <i>Bak. f.</i>	377	<i>echinata</i> , <i>Smith</i>	349
<i>grandistipulata</i> , <i>Harms</i>	377	<i>nodiflora</i> , <i>R. Br.</i>	349
<i>nodulosa</i> , <i>Bak. f.</i>	377	<i>sessilis</i> , <i>R. Br.</i>	349
<i>nyassana</i> , <i>Taub.</i>	377	Alysicarpus	379
<i>oligantha</i> , <i>Welw.</i>	377	<i>rugosus</i> , <i>DC.</i>	379
<i>shirensis</i> , <i>Taub.</i>	377	<i>Wallichii</i> , <i>Wight & Arn.</i>	379
<i>uniflora</i> , <i>E. Mey.</i>	378	<i>Zeyheri</i> , <i>Harv.</i>	379
Afelia	366	AMARANTACEAE	347
<i>cuanzensis</i> , <i>Welw.</i>	366	Amarantus	348
Agelaea	360	<i>gracizans</i> , <i>L.</i>	348
<i>nitida</i> , <i>Soland.</i>	360	<i>Thunbergii</i> , <i>Moq.</i>	348
Agropyrum	310	<i>viridis</i> , <i>L.</i>	348
<i>lepidus</i> ? <i>var. tamba</i>	310	AMARYLLIDACEAE	327
AIZOACEAE	350	Amblystegium	278

	PAGE		PAGE
Amblystegium—		Andropogon—	
varium, <i>Lindb.</i>	278	marginalis, <i>L.</i>	296
Amblygonocarpus.....	363	monticola, <i>Schult.</i>	
obtusangulus, <i>Harms</i>	363	var. <i>Trinii</i> , <i>Hook.</i>	296
Schweinfurthii, <i>Harms</i>	363	corrected in text to.....	296
Ammannia.....	426	<i>muricatum</i> , <i>Beauv.</i>	296
baccifera, <i>L.</i>	426	Nardus, <i>L.</i> var. <i>validus</i> , <i>Stapf</i>	296
senegalensis, <i>Lam.</i>	426	pertusus, <i>Willd.</i>	296
Ammodcharis.....	327	rufus, <i>Kunth.</i>	296
falcata, <i>Herb.</i>	327	var. <i>fulvicornis</i> , <i>Rendle</i>	297
Amomum sp.	333	Ruprechtii, <i>Hack.</i>	297
Amorphophallus.....	317	Schimperi, <i>Hochst.</i>	297
mossambicensis, <i>Klotzsch</i>	317	schirensis, <i>Hochst.</i>	297
Ampelocissus.....	408	Schœnanthus, <i>L.</i>	297
Grantii, <i>Planch.</i>	408	var. <i>densiflorus</i> , <i>Hack.</i>	297
mossambicensis, <i>Planch.</i>	408	var. <i>versicolor</i> , <i>Hack.</i>	297
obtusata, <i>Planch.</i>	408	serratus, <i>Thunb.</i>	
Amphidoxa sp.	509	var. <i>versicolor</i> , <i>Hack.</i>	297
Anacampteros.....	351	sorghum, <i>Brot.</i>	297
rhodesica, <i>N. E. Br.</i>	351	squarrosus, <i>Linn. f.</i>	297
ANACARDIACEÆ.....	401	tamba, <i>Reudle</i>	297
Anagallis.....	436	corrected in text to.....	296
Hanningtonii, <i>Bak.</i>	436	<i>Trinii</i> , <i>Steud.</i>	
Anaphrenium.....	402	var. <i>simplicior</i> , <i>Hack.</i>	296
paniculosum, <i>Engl.</i>	402	corrected in text to.....	296
Ancylanthus.....	494	Aneilema.....	319
Bainesii, <i>Hiern.</i>	494	<i>adhaerens</i> , <i>Kunth.</i>	319
Androcymbium.....	321	aequinoctiale, <i>Kunth.</i>	319
<i>melanthoides</i> , <i>Willd.</i>	321	dregeana, <i>Kunth.</i>	319
subulatum, <i>Bak.</i>	321	Johnstoni, <i>K. Schum.</i>	319
Andropogon.....	295	Nicholsoni, <i>C. B. Cl.</i>	319
amplectens, <i>Nees</i>	295	nyasense, <i>C. B. Cl.</i>	319
ceresiaeformis, <i>Nees</i>	295	sinicum, <i>Lindl.</i>	320
connatus, <i>Chiov.</i>	295	var. <i>longifolia</i> , <i>C. B. Cl.</i>	320
contortus, <i>L.</i>	295	Aneimia.....	289
cymbarius, <i>L.</i>	295	anthriscifolia, <i>Schrad.</i>	289
var. <i>lepidus</i> , <i>Stapf</i>	295	tomentosa, <i>Sw.</i>	289
corrected in text to.....	295	Anemone.....	352
eucomis, <i>Nees</i>	295	peneensis, <i>Bak. f.</i>	352
filipendulus, <i>Hochst.</i>	295	Angrecum.....	337
gayanus, <i>Kunth.</i>	295	leonis ?.....	337
gazense, <i>Rendle</i>	295	rhodesianum, <i>Rendle</i>	337
giganteus, <i>Chiov.</i>	296	Anona.....	354
halapensis, <i>Brot.</i>	296	senegalensis, <i>Pers.</i>	354
hirtiflorus, <i>Kunth.</i>		var. <i>rhodesiaca</i> , <i>Engl. & Diels</i> ..	354
var. <i>semiberbis</i> , <i>Stapf</i>	296	ANONACEÆ.....	354
hirtus, <i>L.</i>	296	Ansellia.....	335
intermedius, <i>R. Br.</i>	296	africana, <i>Lindl.</i>	335
Jeffreysii, <i>Hack.</i>	296	humilis, <i>Bull.</i>	335
Lecomtei, <i>Franch.</i>	296	Anthericum.....	321
<i>Lepidus</i> , <i>Nees</i>		anceps, <i>Bak.</i>	321
var. <i>tamba</i> , <i>Hack.</i>	296	elongatum, <i>Willd.</i>	321
corrected in text to.....	296	<i>filiforme</i> , <i>Thunb.</i>	321

	PAGE		PAGE
Anthericum—		Aristea	330
hispidum, <i>L.</i>	321	compressa, <i>Buching</i>	330
longistylum, <i>Bkr.</i>	321	zombensis, <i>Bak.</i>	330
matabelense, <i>Bak.</i>	321	Aristida	304
Oatesii, <i>Bak.</i>	321	adscensionis, <i>L.</i>	304
recurvifolium, <i>Bak.</i>	321	aëquiglumis, <i>Hack.</i>	304
rhodesianum, <i>Rendle</i>	321	angustata, <i>Stapf</i>	304
Antherotoma	431	barbicollis, <i>Trin. & Rupr.</i>	304
Naudini, <i>Hook. f.</i>	431	bipartita, <i>Trin. & Rupr.</i>	304
Anthistiria	298	ciliata, <i>Desf.</i>	304
imberbis, <i>Retz.</i>	298	congesta, <i>Roem. & Schult.</i>	304
Anthocleista	442	sieberiana, <i>Trin.</i>	
zambesiaca, <i>Bak.</i>	442	var. <i>stipitata</i> , <i>Stapf.</i>	304
Antholyza sp.	332	stipitata, <i>Hack.</i>	304
Anthospermum	496	stipoides, <i>Lam.</i>	304
ammanioides, <i>S. Moore</i>	496	Artabotrys	354
ciliare, <i>L.</i>	496	brachypetala, <i>Benth.</i>	354
hispidulum, <i>E. Mey.</i>	496	Monteiroae, <i>Oliv.</i>	354
lanceolatum, <i>Thunb.</i>	496	Artemisia	516
Randii, <i>S. Moore</i>	496	afra, <i>Jacq.</i>	516
rigidum, <i>E. & Z.</i>	496	Arthrosolen	425
vallicolum, <i>S. Moore</i>	496	chrysantha, <i>Solms-Laub.</i>	425
Antidesma	394	Arundinella	298
membranaceum, <i>Müll. Arg.</i>	394	Ecklonii, <i>Nees</i>	298
venosum, <i>Tul.</i>	394	ASCLEPIADACEAE	446
Antoschmidtia	307	Asclepias	448
pappophoroides, <i>Boiss.</i>	307	aurea, <i>Schlecht.</i>	448
Aplhoia	422	densiflora, <i>N. E. Br.</i>	448
theaeformis, <i>Benn.</i>	422	eminens, <i>Schlecht.</i>	449
APOCYNACEAE	444	Engleri, <i>Schlecht.</i>	449
Apodytes	405	fallax, <i>Schlecht.</i>	449
dimidiata, <i>E. Mey.</i>	405	fruticosa, <i>L.</i>	449
Aponogeton sp.	293	fulva, <i>N. E. Br.</i>	449
APONOGETONACEAE	293	glaucophylla, <i>Schlecht.</i>	449
Aptosimum	470	lineolata, <i>Schlecht.</i>	449
decumbens, <i>Schinz.</i>	470	palustris, <i>Schlecht.</i>	449
elongatum, <i>Engl.</i>	470	physocarpa, <i>Schlecht.</i>	449
lineare, <i>Marl. & Engl.</i>	470	Randii, <i>S. Moore</i>	449
Randii, <i>S. Moore</i>	470	reflexa, <i>Brit. & Rendle.</i>	449
AQUIFOLIACEAE	403	scabrifolia, <i>S. Moore</i>	449
ARACEAE	317	Swynnertonii, <i>S. Moore</i>	450
Arachis	378	tenuifolia, <i>N. E. Br.</i>	450
hypogea, <i>L.</i>	378	Ascolepis	311
ARALIACEAE	433	capensis, (<i>Kunth.</i>) <i>Ridley</i>	311
Arctotis	520	protea, <i>Welw.</i>	311
scaposa, (<i>Harv.</i>)	520	var. <i>bellidiflora</i> , <i>Welw.</i>	311
Argemone	355	Asparagus	325
mexicana, <i>L.</i>	355	aethiopicus, <i>L.</i>	325
Argomuelleria	395	africanus, <i>Lam.</i>	325
macrophylla, <i>Pax</i>	395	angolensis, <i>Bak.</i>	325
Argyrolobium	372	asiaticus, <i>L.</i>	325
andrewsianum, <i>Steud.</i>	372	falcatus, <i>L.</i>	325
collinum, <i>E. & Z.</i>	372	laricinus, <i>Burch.</i>	326

	PAGE		PAGE
<i>Asparagus</i> —		<i>Astragalus</i> —	
<i>medeoloides</i> , Thunb.	326	<i>burkeanus</i> , Benth.	377
<i>pilosus</i> , Bak.	326	<i>Astrochlena</i>	453
<i>plumosus</i> , Bak.	326	<i>malvacea</i> , Hal. f.	443
<i>racemosus</i> , Willd.	326	var. <i>epedunculata</i> , Rendle	453
<i>stipulaceus</i> , Lam.	326	<i>Stuhlmanni</i> , Hal. f.	453
<i>virgatus</i> , Bak.	326	<i>Asystasia</i>	485
<i>Aspidium</i>	279	<i>coromandeliana</i> , Nees	485
<i>aculeatum</i> , Swartz		<i>Athrixia</i>	512
var. <i>pungens</i> , Klf.	279	<i>elata</i> , Sond.	512
<i>ammifolium</i> , Poir.	279	<i>foliosa</i> , S. Moore	512
<i>Aspidia</i>	514	<i>oblonga</i> , S. Moore	512
<i>brachyphylla</i> , S. Moore	514	<i>rosmarinifolia</i> , O. & H.	513
<i>Eylesii</i> , S. Moore	515	<i>Axonopus</i>	299
<i>vulgaris</i> , N. E. Br.	515	<i>semialatus</i> , Hook. f.	
<i>zombensis</i> , Bak.	515	var. <i>Ecklonii</i> , Stapf.	299
<i>Asplenium</i>	281	<i>Babiana</i>	331
<i>adiantoides</i> , Lam.	281	<i>Bainesii</i> , Bak.	331
<i>adiantum-nigrum</i> , L.	281	<i>Baikiaea</i>	365
<i>anisophyllum</i> , Kze.	281	<i>plurijuga</i> , Harms	365
<i>aspidioides</i> , Schl.	281	BALSAMINACEAE	406
<i>circutarium</i> , Sw.		<i>Baphia</i> spp.	369
var. <i>abyssinicum</i> , Bak.	282	<i>Barbacenia</i>	328
<i>dregeanum</i> , Kze.	282	<i>equisetoides</i> , Engl.	328
<i>erectum</i> , Bory.	282	<i>Barleria</i>	483
var. <i>erectum</i> , Bory.	282	<i>albstellata</i> , C. B. Cl.	483
var. <i>lobatum</i> , Sim.	282	<i>Boehmii</i> , Lindau	483
var. <i>linulatum</i> , Sim.	282	<i>Eylesii</i> , S. Moore	483
<i>Eylesii</i> , Sim.	282	<i>Mackenii</i> , Hook. f.	483
<i>filix-femina</i> , Bernh.	282	<i>matopensis</i> , S. Moore	483
<i>fureatum</i> , Thunb.	282	<i>meyeriana</i> , Nees	484
var. <i>tripinnatum</i> , Bak.	282	<i>Randii</i> , S. Moore	484
<i>gemmiferum</i> , Schr.	282	<i>spinulosa</i> , Klotzsch	484
var. <i>flexuosum</i> , Schr.	282	<i>Bartramia</i> sp.	278
var. <i>laciniatum</i> , Mett.	283	<i>Basilicum</i>	466
<i>lactum</i> , Sw.	283	<i>myriostachyum</i> , O. Ktze.	466
<i>Mannii</i> , Hook.	283	<i>Bauhinia</i>	366
<i>monanthemum</i> , L.	283	<i>articulata</i> , DC.	366
<i>protensum</i> , Schr.	283	<i>fassoglensis</i> , Kotschy	366
<i>resectum</i> , Sm.	283	<i>Galpini</i> , N. E. Br.	366
<i>rutæfolium</i> , Kze.	283	<i>macrantha</i> , Oliv.	366
<i>Sandersoni</i> , Hook.	283	<i>petersiana</i> , Bolle	366
<i>Schimperii</i> , A. Br.	283	<i>reticulata</i> , DC.	366
<i>serra</i> , Langs.		<i>Becium</i>	466
var. <i>natalensis</i> , Bak.	283	<i>angustifolium</i> , N. E. Br.	466
<i>Thunbergii</i> , Kze.	283	<i>obovatum</i> , N. E. Br.	467
<i>trichomanes</i> , L.	283	<i>Behnia</i>	326
<i>varians</i> , Hook. & Gr.	283	<i>reticulata</i> , Didr.	326
<i>Aster</i>	506	<i>Belmontia</i>	443
<i>muricatus</i> , Less.		<i>grandis</i> , E. Mey.	443
var. <i>fasciculatus</i> , E. Mey.	506	<i>Berchemia</i>	407
<i>tenellus</i> , L.	507	<i>discolor</i> , Hemsl.	407
<i>Astragalus</i>	377		

	PAGE		PAGE
Bergia.....	421	Borreria—	
decumbens, <i>Planch.</i>	421	dibrachiata, <i>K. Schum.</i>	497
Berkeyha.....	520	natalensis, <i>K. Schum.</i>	497
Adlami, <i>Hook. f.</i>	520	Ruelliae, <i>K. Schum.</i>	497
gorterioides, <i>O. & H.</i>	521	stricta, <i>K. Schum.</i>	497
setifera, <i>DC.</i>		subvulgata, <i>K. Schum.</i>	497
var. tropica, <i>S. Moore</i>	521	Bosquia.....	339
subulata, <i>Harv.</i>	521	Phoberos, <i>Baill.</i>	339
Zeyheri, <i>Sond. & Harv.</i>	521	Bothriocline.....	502
Berkheyopsis.....	520	inyangana, <i>N. E. Br.</i>	502
bechuanensis, <i>S. Moore</i>	520	Bouchea.....	458
integrifolia, <i>Volk.</i>	520	hederacea, <i>Sond.</i>	458
Berlinia.....	366	pinnatifida, <i>Schauer</i>	458
Eminii, <i>Taub.</i>	366	Wilmsii, <i>Gürke.</i>	459
paniculata, <i>Benth.</i>	366	Bowiea.....	322
Bersama.....	406	volubilis, <i>Harv.</i>	322
maschonensis, <i>Gürke</i>	406	Brachycorythis.....	334
Swynnertonii, <i>Bak. f.</i>	406	acutiloba, <i>Rendle</i>	334
Bidens.....	515	hispidula?.....	334
pilosa, <i>L.</i>	515	Brachylæna.....	508
prolixus, <i>S. Moore</i>	515	discolor, <i>DC.</i>	508
Schimperii, <i>Sch. Bip.</i>	516	rhodesiana, <i>S. Moore</i>	508
BIGNONIACEAE.....	477	rotundata, <i>S. Moore</i>	508
Blepharis.....	484	Brachystegia.....	364
Bainesii, <i>S. Moore</i>	484	appendiculata, <i>Benth.</i>	364
boerhaaviæfolia, <i>Pers.</i>	484	Bragei, <i>Harms</i>	365
diversipina, <i>C. B. Cl.</i>	484	globiflora, <i>Hook.</i>	365
innocua, <i>C. B. Cl.</i>	484	Goetzei, <i>Harms.</i>	365
molluginifolia, <i>Pers.</i>	484	Randii, <i>Bak. f.</i>	365
Blumea.....	509	spicæformis, <i>Benth.</i>	365
gariepina, <i>DC.</i>	509	tamarindoides, <i>Welw.</i>	365
lacera, <i>DC.</i>	509	Brachystelma.....	450
Blyxa sp.	293	Barberiae, <i>Harv.</i>	450
Bobartia sp.	330	Brackenridgea.....	420
Boerhavia.....	349	zanguebarica, <i>Oliv.</i>	420
dichotoma, <i>Vahl</i>	349	Brassica sp.	355
grandiflora, <i>A. Rich.</i>	349	Breweria.....	452
pentandra, <i>Burch.</i>	349	capensis, <i>Bak.</i>	452
plumbaginea, <i>Cav.</i>	349	Bridelia.....	394
repens, <i>L.</i> var. diffusa, <i>Hk. f.</i>	349	atroviridis, <i>Müll. Arg.</i>	394
Bolusanthus.....	369	cathartica, <i>Bertol. f.</i>	394
speciosus, (<i>Bolus</i>) <i>Harms</i>	369	mierantha, <i>Baill.</i>	394
BOMBACACEAE.....	417	mollis, <i>Hutch.</i>	394
Bonatea.....	334	Niedenzui, <i>Gehrm.</i>	394
antennifera, <i>Rolfe</i>	334	scandens, <i>Willd.</i>	394
Bopusia.....	474	stipularis, <i>Blume.</i>	394
scabra, <i>Presl.</i>	474	stipularis, <i>Müll. Arg.</i>	394
BORAGINACEAE.....	456	Brillantaisia.....	481
Borraginoides.....	457	grandidentata, <i>S. Moore</i>	481
physaloides, <i>Hiern</i>	457	Brunsvigia sp.	327
zeylanica, <i>Hiern</i>	457	Brysocarpus.....	360
Borreria.....	497	coccineus, <i>Sch. & Thon.</i>	360
arvensis, <i>K. Schum.</i>	497	var. parvifolius, <i>Planch.</i>	360

	PAGE		PAGE
Buchnera	474	Canna—	
ciliolata, <i>Engl.</i>	474	indica, <i>L.</i>	
dura, <i>Benth.</i>	474	var. orientalis, <i>Rosc.</i>	333
Eylesii, <i>S. Moore</i>	475	CANNACEAE	333
Henriquesii, <i>Engl.</i>	475	Canscora	443
hispidula, <i>Buch.-Ham.</i>	475	diffusa, (<i>Vahl</i>) <i>R. Br.</i>	443
Lastii, <i>Engl.</i>	475	Kirkii, <i>N. E. Br.</i>	443
leptostachya, <i>Benth.</i>	475	<i>Canthium</i>	493
pusilliflora, <i>S. Moore</i>	475	abbreviatum, <i>S. Moore</i>	493
Randii, <i>S. Moore</i>	475	Gueinzii, <i>Sond.</i>	493
rhodesiana, <i>S. Moore</i>	475	lanceolatum, <i>Hiern</i>	493
Buddleia	442	lividum, <i>Hiern</i>	493
salvifolia, <i>Lam.</i>	442	Oatesii, <i>Rolfe</i>	493
<i>Bulbostylis</i>	315	Randii, <i>S. Moore</i>	493
Burchelli, <i>C. B. Cl.</i>	315	Seynertonii, <i>S. Moore</i>	493
schonioides, <i>Kunth.</i>	316	Ventosum, <i>S. Moore</i>	494
Buphane	327	<i>Canthia</i>	368
disticha, <i>Herb.</i>	327	exosa, <i>Gmelin</i>	368
toricaria, <i>Herb.</i>	327	CAPPARIDACEAE	355
Burkea	364	Capparis	356
africana, <i>Hook.</i>	364	tomentosa, <i>Lam.</i>	356
Burmanna	333	Caralluma	451
bicolor, <i>Mart.</i>		lateritia, <i>N. F. Br.</i>	451
var. africana, <i>Ridl.</i>	333	Cardiospermum	405
BURMANNIACEAE	333	canescens, <i>Wall.</i>	405
Burnatia	293	corindum, <i>L.</i>	405
enneandra, <i>Mich.</i>	293	Halicacabum, <i>L.</i>	405
BURSERACEAE	388	Carex	316
		condensata, <i>Nees</i>	316
		spicato-paniculata, <i>C. B. Cl.</i>	316
CACTACEAE	424	Carissa	444
Cadaba	356	acuminata, <i>DC.</i>	444
junceae, <i>Hook.</i>	356	Arduina, <i>Lam.</i>	444
natalensis, <i>Sond.</i>	356	edulis, <i>Vahl</i>	444
Calamintha	462	var. tomentosa, <i>Stapf.</i>	444
masukensis, <i>S. Moore</i>	462	tomentosa, <i>A. Rich.</i>	444
Calanthe	335	Carum	434
natalensis, <i>Rehb. f.</i>	335	copticum, <i>Bth. & Hk.</i>	434
sanderiana?	335	CARYOPHYLLACEAE	351
Callitris	292	Cassia	367
Whytei, (<i>Rendle</i>)	292	abbreviata, <i>Oliv.</i>	367
Calopogonium	381	absus, <i>L.</i>	367
lacerans, <i>R. Br.</i>	381	arachoides, <i>Burch.</i>	367
Calostephane	513	didymobotrya, <i>Fres.</i>	367
divaricata, <i>Benth.</i>	513	fistula, <i>L.</i>	367
Calpurnia	369	goratensis, <i>Fres.</i>	367
aurea, <i>Bak.</i>	369	granitica, <i>Bak. f.</i>	367
lasioogyne, <i>E. Mey.</i>	369	mimosoides, <i>L.</i>	367
CAMPANULACEAE	499	occidentalis, <i>L.</i>	367
Canavalia	381	petersiana, <i>Bolle</i>	368
ensiformis, <i>DC.</i>	381	tettensis, <i>Bolle</i>	368
incurva, <i>P. Thouars</i>	381	Tora, <i>L.</i>	368
Canna	333	Castanospermum	369

	PAGE		PAGE
Castanospermum—		Chenopodium—	
australe, <i>A. Cunn.</i>	369	<i>Botrys, L.</i>	347
Cassytha.....	354	<i>fetidum, Schrad.</i>	347
<i>capensis, Meisn.</i>	354	<i>graveolens, Lag. & Rodr.</i>	347
<i>ciliolata, Nees</i>	354	<i>schraderianum, Roem. & Schl.</i>	347
<i>filiformis, L.</i>	354	Chielanthos.....	285
Catha.....	404	<i>Bolusii, Bak.</i>	285
<i>edulis, Forsk.</i>	404	<i>farinosa, Kaulf.</i>	285
Catharinea.....	278	<i>hirta, Sw.</i>	285
<i>androgyna, C. Muell.</i>	278	<i>Kirkii, Hook.</i>	285
Cebatha.....	353	<i>multifida, Sw.</i>	285
<i>hirsuta, O. Kuntze</i>	353	Chilianthus.....	442
CELASTRACEAE.....	403	<i>arboresus, A. DC.</i>	442
Celastrus.....	403	<i>oleaceus, Burch.</i>	442
<i>buxifolius, L.</i>	404	Chironia.....	443
<i>concinus, N. E. Br.</i>	403	<i>exigua, Oliv.</i>	443
<i>mossambicensis, Kltzch.</i>	404	<i>gratissima, S. Moore</i>	443
<i>polycanthus, Sond.</i>	404	<i>humilis, Gilg.</i>	443
<i>senegalensis, Lam.</i>	404	<i>var. Wilmsii, Prain.</i>	443
Celosia.....	347	<i>humilis, Bak. & Br.</i>	443
<i>trigyna, L.</i>	347	<i>palustris, Gilg</i>	443
Celtis.....	338	<i>purpurascens, Rolfe</i>	443
<i>dioica, S. Moore</i>	338	<i>transvaalensis, Gilg</i>	443
<i>kraussiana, Bernh.</i>	339	Chloris.....	306
<i>rhamnifolia, Presl.</i>	339	<i>abyssinica, Hochst</i>	306
Centaurea.....	520	<i>barbata, Sw.</i>	306
<i>rhizocephala, O. & H.</i>		<i>gayana, Kunth.</i>	306
<i>var. australis?</i>	520	<i>petraea, Thunb.</i>	306
Cephalandra.....	499	<i>pycnothrix, Trin.</i>	306
<i>palmata, Sond.</i>	499	<i>virgata, Sw.</i>	306
<i>pubescens, Sond.</i>	499	<i>var. elegans, Stapf</i>	306
Cephalanthus.....	490	Chloristylis.....	359
<i>natalensis, Oliv.</i>	490	<i>shirensis, Bak. f.</i>	359
Ceratotheca.....	478	Chlorocodon.....	446
<i>kraussiana, Kunth.</i>	478	<i>Whytei, Hook. f.</i>	446
<i>sesamoides, Endl.</i>	478	Chlorophytum.....	322
<i>triloba, E. Mey.</i>	478	<i>andongense, Bak.</i>	322
Ceropegia.....	451	<i>blepharophyllum, Schumf.</i>	322
<i>abyssinica, Decne.</i>	451	<i>elatum, R. Br.</i>	
<i>hispidipes, S. Moore</i>	451	<i>var. Burchelli, Bak.</i>	322
<i>mazoensis, S. Moore</i>	451	<i>gazense, Rendle</i>	322
<i>tentaculata, N. E. Br.</i>	451	<i>polystachyum, Bak.</i>	322
Chænostoma.....	471	Chrysanthellum.....	515
<i>micranthum, Engl.</i>	471	<i>procumbens, Pers.</i>	515
Chætacanthus.....	482	Chrysophyllum.....	437
<i>Persoonii, Nees</i>	482	<i>argyrophyllum, Hiern.</i>	437
Chaillertia.....	392	<i>fulvum, S. Moore</i>	437
<i>cymosa, Hook.</i>	392	<i>natalense, Sond.</i>	437
Chara.....	277	Cineraria.....	517
<i>capensis, E. Mey.</i>	277	<i>lobata, L'Herit.</i>	517
CHARACEAE.....	277	<i>mazoensis, S. Moore</i>	517
CHENOPODIACEAE.....	347	Cissampelos.....	353
Chenopodium.....	347	<i>mucronata, A. Rich.</i>	353

	PAGE		PAGE
Cissampelos—		Cliffortia	359
Pareira, L.	353	linearifolia, E. & Z.	359
var. mucronata, Engl.	353	Clitandra	445
torulosa, E. Mey.	353	orientalis, K. Schum.	445
Cissus	408	Cluytia	397
Buchanani, Planch.	408	inyangensis, Hutch.	397
congesta, Planch.	408	monticola, S. Moore	398
crotonarioides, Planch.	408	Paxii, Knauf	398
cymosa, Schum.	408	phyllanthoides, S. Moore	398
fragilis, E. Mey.	409	robusta, Pax	398
gracilis, Guill. & Perr.	409	stelleroides, S. Moore	398
hypargyrea, Gilg.	409	Swynnertonii, S. Moore	398
jatrophioides, Planch.	409	volubilis, Hutch.	398
Marlothii, Gilg.	409	Cnestis	360
rhodesiae, Gilg.	409	natalensis, Pich. & Snd.	360
rotundifolia, Fahl.	409	Coccinia	499
zombensis, Gilg. & Brndt.	409	palmata, Cogn.	499
Citrullus	498	pubescens, Sond.	499
vulgaris, Schrad.	493	Cocculus	353
Citrus	388	villosus, DC.	353
aurantium, L.	388	Coffea	494
medica, L.		Engleri, K. Krause	491
var. limonium, Risso.	388	ligustroides, S. Moore	494
Cleistachne	298	Swynnertonii, S. Moore	494
sorghoides, Benth.	298	Coleus	464
Clematis	352	gazensis, S. Moore	464
brachiata, Thunb.	352	latifolius, Hochst.	465
Kirkii, Oliv.	352	matopensis, S. Moore	465
orientalis, L.	352	palliolatus, S. Moore	465
var. simensis, O. Kuntze	352	Pentheri, Gürke	465
var. Thunbergii, O. Kntze.	352	polyanthus, S. Moore	465
simensis, Fres.	352	shirensis, Gürke	465
Stanleyi, Hook.	352	Swynnertonii, S. Moore	465
Thunbergii, Steud.	352	umbrosus, Vatke	465
villosa, DC.	352	Colocynthis	498
virena	353	amarissima, Schrad.	498
Wightiana, Wall.	353	Colpoon	344
Cleome	355	compressum, Berg.	344
hirta, Oliv.	355	COMBRETACEAE	427
maculata, Szyszyl.	355	Combretum	427
monophylla, L.	355	abbreviatum, Engl.	427
Clerodendron	459	apiculatum, Sond.	427
amplifolium, S. Moore	459	var. parvifolium, Bak. f.	427
glabrum, E. Mey.	460	arbuseula, Engl.	427
hirsutum, Pearson	460	atelantherum, Diels	427
lanceolatum, Gürke	460	Bragae, Engl.	427
myricoides, R. Br.	460	cataractarum, Diels	427
var. cuneatum, Pearson	460	cognatum, Diels	427
var. discolor, Bak.	460	erythrophyllum, Sond.	427
ovale, Klotzsch	460	glomeruliflorum, Sond.	428
reflexum, Pearson	460	Gueinzii, Sond.	428
spinescens, Gürke	460	hereroense, Schinz	428
Swynnertonii, S. Moore	460	holosericeum, Sond.	428

	PAGE		PAGE
Combretum—		Copaifera	508
imberbe, <i>Wavera</i>	428	coleosperma, <i>Benth.</i>	364
Junodii, <i>Dummer</i>	428	mopane, <i>Kirk</i>	364
lindenbergianum, <i>Engl. & Diels</i>	428	Corchorus	409
microphyllum, <i>Klotzsch</i>	428	asprenifolius, <i>Burch.</i>	409
mossambicense, <i>Engl.</i>	428	hirsutus, <i>L.</i>	409
Oatesii, <i>Rolfe</i>	428	Kirkii, <i>N. E. Br.</i>	409
oblongum, <i>F. Hoffm.</i>	428	mucilagineus, <i>Gibbs</i>	409
patelliforme, <i>Engl. & Diels</i>	428	muricatus, <i>Hochst.</i>	410
platypetalum, <i>Welw.</i>	428	serræfolius, <i>Burch.</i>	410
primigenum, <i>Marl. & Engl.</i>	428	tridens, <i>L.</i>	410
rhodesicum, <i>Bak. f.</i>	428	trilocularis, <i>L.</i>	410
salicifolium, <i>E. Mey.</i>	429	Cordia	456
tetraphyllum, <i>Diels</i>	429	ovalis, <i>R. Br.</i>	456
ulugurense, <i>Engl.</i>	429	Cordylogyne	448
Zeyheri, <i>Sond.</i>	429	kassnerianum, (<i>Schlthtr.</i>)	448
Commelina	318	mossambicense, (<i>Schlthtr.</i>)	448
Africana, <i>L.</i>	318	Coreopsis	515
Bainesii, <i>C. B. Cl.</i>	318	insecta, <i>S. Moore</i>	515
benghalensis, <i>L.</i>	318	Steppia, <i>Steetz</i>	515
Cecilae, <i>C. B. Cl.</i>	319	CORNACEAE	435
Forskalei, <i>Vahl.</i>	319	Corrigiola	351
krebiana, <i>Kunth.</i>	319	drymarioides, <i>Bak. f.</i>	351
Livingstoni, <i>C. B. Cl.</i>	319	litoralis, <i>L.</i>	351
nudiflora, <i>L.</i>	319	Cotula	516
spectabilis, <i>C. B. Cl.</i>	319	anthemoides, <i>L.</i>	516
zambesica, <i>C. B. Cl.</i>	319	Courbonia	356
COMMELINACEAE	318	decumbens, <i>Bongn.</i>	356
Commiphora	388	Courtoisia	313
acutidens, <i>Engl.</i>	388	assimilis, <i>C. B. Cl.</i>	313
edulis ?	388	cyperoides, <i>Nees</i>	313
Fischeri, <i>Engl.</i>	388	Crabbea	483
COMPOSITAE	502	crisioides, <i>Nees</i>	483
Congrothamus sp.	516	nana, <i>Nees</i>	483
CONIFERAE	292	velutina, <i>S. Moore</i>	483
CONNARACEAE	360	Craspedorhachis	306
Conopharyngia	445	rhodesiana, <i>Rendle</i>	306
elegans, <i>Stapf</i>	445	Crassocephalum	517
stapfiana, <i>Stapf</i>	445	cernuum, <i>Moench</i>	517
usambarensis, <i>Stapf</i>	445	diversifolium, <i>Hiern</i>	
CONVOLVULACEAE	452	var. <i>crepidioides</i> , <i>Hiern</i>	517
Convolvulus	452	Crassula	358
Randii, <i>Rendle</i>	452	campestris, <i>E. & Z.</i>	358
sagittatus		nivalis, <i>E. & Z.</i>	358
var. <i>abyssinica</i> , <i>Hal. f.</i>	452	sarcolipes, <i>Harc.</i>	358
ulosepalus, <i>Hal. f.</i>	452	subulata, <i>Hook.</i>	358
Conyza	507	CRASSULACEAE	357
ægyptiaca, <i>Ait.</i>	507	Craterispermum	494
costata, <i>Harv.</i>	508	laurinum, <i>Benth.</i>	494
paucifolia, <i>O. & H.</i>	508	Craterostigma	472
persicifolia, <i>O. & H.</i>	508	nanum, <i>Oliv.</i>	472
pinnatifida, <i>Less.</i>	508	plantagineum, <i>Hochst.</i>	472
variegata, <i>Sch. Bip.</i>	508	Cremaspora	492

	PAGE		PAGE
Cremaspora—		Croton—	
<i>africana</i> , Benth.	492	<i>sylvaticus</i> , Hochst.	395
Crinum	327	<i>welwitschianus</i> , Müll. Arg.	395
<i>Harmsii</i> , Bak.	327	<i>zambesicus</i> , Müll. Arg.	395
<i>Kirkii</i> , Bak.	327	CRUCIFERAE	355
<i>zeylanicum</i> , L.	327	Cryptolepis	446
Crococsmia	331	<i>oblongifolia</i> , Schlechter	446
<i>aurea</i> , Planch.	331	<i>producta</i> , N. E. Br.	446
Cronartium	277	<i>transvaalensis</i> , Schltr.	446
<i>bresadoleanum</i> , Henn.		Crystopteris	286
var. <i>eucleae</i> , Henn.	277	<i>fragilis</i> , Bernh.	286
Crossopteryx	489	Ctenium sp.	306
<i>kotschyana</i> , Fenzl.	489	Cucumis	499
Crossotropis	307	<i>Cecili</i> , N. E. Br.	499
<i>grandigumis</i> , Rendle	307	<i>chrysocomus</i> , Sch. & Thnn.	499
Crotalaria	370	<i>Figarei</i> , Delile	499
<i>anthyllopsis</i> , Welw.	370	<i>hirsutus</i> , Soud.	499
<i>Barabassii</i> , Dinter.	370	<i>naudinianus</i> , Soud.	499
<i>brevidens</i> , Benth.	370	<i>Zeyheri</i> , Soud.	499
<i>capensis</i> , Jacq.	370	CUCURBITACEAE	498
<i>cephalotes</i> , Steud.	370	Culcasia	317
<i>chirindae</i> , Bak. f.	370	<i>scandens</i> , Beauv.	317
<i>cylindrostachys</i> , Welw.	370	Curtisia	435
<i>elata</i> , Welw.	371	<i>faginea</i> , Ait.	435
<i>flavicarinata</i> , Bak. f.	370	Cuscuta	452
<i>gazensis</i> , Bak. f.	370	<i>killimanjari</i> , Oliv.	452
<i>intermedia</i> , Kotschy.	370	<i>obtusiflora</i>	
<i>killimandscharica</i> , Taub.	371	var. <i>cordofana</i> , Engelm.	452
<i>laburnifolia</i> , L.	371	<i>planiflora</i> , Ten.	452
<i>lachnocarpa</i> , Hochst.	371	Cussonia	433
<i>lanceolata</i> , E. Mey.	371	<i>natalensis</i> , Soud.	433
<i>mossambicensis</i> , Klotzsch.	371	<i>spicata</i> , Thunb.	433
<i>natalitia</i> , Meisn.	371	<i>umbellifera</i> , Soud.	433
<i>nubica</i> , Benth.	371	CYANOPHYCEAE	277
<i>orthoclada</i> , Welw.	371	Cyanotis	320
<i>petiolaris</i> , Franch.		<i>fœcunda</i> , Hassk.	320
var. <i>australis</i> , Bak. f.	371	<i>nodiflora</i> , Kunth.	320
<i>piscicarpa</i> , Welw.	371	CYATHEACEAE	279
<i>podocarpa</i> , DC.	371	Cyathea	279
<i>recta</i> , Steud.	371	<i>Dregei</i> , Kunze.	279
<i>Rogersii</i> , Bak. f.	371	<i>Manniana</i> , Hook.	279
<i>sericifolia</i> , Harms.		<i>Thomsoni</i> , Bak.	279
var. <i>gweloensis</i> , Bak. f.	372	Cyathula	348
<i>spartioides</i> , DC.	372	<i>cylindrica</i> , Moq.	348
<i>sphærocarpa</i> , G. & P.	372	<i>prostrata</i> , Blume	348
var. <i>angustifolia</i> , Hochst.	372	Cyenum	475
<i>striata</i> , DC.	372	<i>adonense</i> , E. Mey.	475
Croton	395	<i>palustre</i> ?	475
<i>barotsensis</i> , Gibbs.	395	<i>tubulosum</i> , Engl.	476
<i>gratissimus</i> , Burch.	395	Cymbopogon	295
<i>Gubouga</i> , S. Moore	395	<i>elegans</i> , Spreng.	295
<i>rivularis</i> , Müll. Arg.	395	<i>filipendulus</i> , Rendle	295
<i>Seynneritonii</i> , S. Moore	395	<i>gazense</i> , Rendle	295

	PAGE		PAGE
<i>Cymbopogon</i> —		<i>Dactyloctenium</i> —	
<i>giganteus</i> , Chiov.....	296	<i>ægyptiacum</i> , Willd.	307
<i>rufus</i> , Rendle	296	<i>Dalbergia</i>	379
<i>Ruprechtii</i> , Rendle	297	<i>dekindtiana</i> , Harms	379
<i>Schimperi</i> , Rendle	297	<i>lactea</i> , Vatke.....	379
<i>Schoenanthus</i> , Spreng.....	297	<i>melanoxylon</i> , G. & P.....	379
<i>tamba</i> , Rendle	297	<i>Swynnertonii</i> , Bak. f.....	379
<i>Cynanchum</i>	450	<i>Damapana</i>	378
<i>chirindense</i> , S. Moore.....	450	<i>strigosa</i> , O. Ktze.....	378
<i>præcox</i> , Schlechter	450	<i>Danthonia</i>	305
<i>Cynodon</i>	306	<i>inermis</i> , Stapf	305
<i>Dactylon</i> , Pers.	306	<i>Datura</i>	470
<i>incompletus</i> , Nees	306	<i>Stramonium</i> , L.	470
<i>Cynoglossum</i>	457	<i>Davallia</i>	281
<i>lanceolatum</i> , Forsk.	457	<i>Concinna</i> , Schrad.	281
<i>micranthum</i> , Desf.	457	<i>Hollandii</i> , Sim	281
CYPERACEAE	311	<i>thecifera</i> , HBK.	281
<i>Cyperus</i>	311	<i>Decabelone</i>	451
<i>albostratus</i> , Schrad.	311	<i>elegans</i> , Decne	451
<i>amabilis</i> , Vahl.	311	<i>Dekindtia</i>	440
<i>aristatus</i> , Rottb.	311	<i>africana</i> , Gilg.	440
<i>auricomus</i> , Spr.	311	<i>Denekia</i>	509
<i>betschuanus</i> , Boeck.	311	<i>capensis</i> , Thunb.	509
<i>compactus</i> , Lam.	311	<i>Derris</i>	380
<i>var. flavissimus</i> , C. B. Cl	311	<i>violacea</i> , Harms	380
<i>denudatus</i> , Linn. f.	312	<i>Desmodium</i>	378
<i>distans</i> , Linn. f.	312	<i>dimorphum</i> , Welw.	378
<i>dregeanus</i> , Kunth	312	<i>lasiocarpum</i> , DC.....	378
<i>esculentus</i> , L.	312	<i>latifolium</i> , DC.....	378
<i>globosus</i> , Boeck.	312	<i>paleaceum</i> , G. & P.....	379
<i>Haspan</i> , L.	312	<i>Scalpe</i> , DC.....	379
<i>var. americana</i> , Boeck.	312	<i>Detris</i>	507
<i>hemisphaericus</i> , C. B. Cl.....	312	<i>simulans</i> ?	507
<i>margaritaceus</i> , Vahl.	312	<i>Dialium</i>	367
<i>Mundtii</i> , Kunth.	312	<i>guineense</i> , Willd.	367
<i>papyrus</i> , L.	312	<i>Diapedium</i>	485
<i>polystachyus</i> , Rottb.	312	<i>Melleri</i> , S. Moore	485
<i>var. laxiflora</i> , Benth.	313	DICHAPETALACEAE	392
<i>pulcher</i> , Thunb.	313	<i>Dichapetalum</i>	392
<i>radiatus</i> , Vahl.	313	<i>cymosum</i> , Hook.	392
<i>sieberianus</i> , Nees	313	<i>rhodesicum</i> , Sprg. & Htch.	392
<i>sphærospermus</i> , Schrad.....	313	<i>Dichilus</i>	370
<i>textilis</i> , Thunb.	313	<i>lebeckioides</i> , DC.....	370
<i>Zollingeri</i> , Steud.....	313	<i>Dichrostachys</i>	363
<i>Cyphia</i>	501	<i>nutans</i> , Benth.	363
<i>alba</i> , N. E. Br.....	501	<i>Dicliptera</i>	485
<i>mazoensis</i> , S. Moore	501	<i>cephalantha</i> , S. Moore	485
<i>Cyphocarpa</i>	348	<i>Melleri</i> , Rolfe	485
<i>angustifolia</i> , Lopr.	348	<i>Monroi</i> , S. Moore	485
<i>Cyrtanthus</i>	327	<i>nobilis</i> , S. Moore	485
<i>angustifolius</i> , Ait.	327	<i>Swynnertonii</i> , S. Moore	485
<i>rhodesianus</i> , Rendle	327	<i>tanganyikensis</i> , C. B. Cl.	485
<i>Dactyloctenium</i>	307	<i>Dielis</i>	470

	PAGE		PAGE
Dielis—		DIPSACACEAE	498
petiolaris, <i>Benth.</i>	470	DIPTEROCARPACEAE	421
Dicoma	521	Dirichletia	489
anomala, <i>Sond.</i>	521	pubescens, <i>Klotzsch.</i>	489
var. microcephala, <i>Hrv.</i>	521	Disa	335
var. Sonderi, <i>Harv.</i>	521	equestris, <i>Reichb. f.</i>	335
Kirkii, <i>Harv.</i>	521	hamatopetala, <i>Rendle</i>	335
var. angustifolia, <i>S. Moore</i>	522	Disperma	482
Schinzii, <i>O. Hoffm.</i>	522	densiflorum, <i>C. B. Cl.</i>	482
sessiflora, <i>Harv.</i>	522	quadrisepalum, <i>C. B. Cl.</i>	
tomentosa, <i>Cass.</i>	522	var. grandifolium, <i>S. Moore</i>	482
Dicraea	357	viscidissimum, <i>S. Moore</i>	482
tenax, <i>C. H. Wright</i>	357	Dissotis	432
Didymochlana	286	debilis, <i>Triana</i>	432
lunulata, <i>Desv.</i>	286	incana, <i>Triana</i>	432
sinuosa, <i>Desv.</i>	286	phæotricha, <i>Hook. f.</i>	432
Dierama	330	princeps, <i>Triana</i>	432
pendula, <i>Bak.</i>	330	segregata, <i>Hook. f.</i>	432
Digitaria	299	Dodonaea	406
eriantha, <i>Steud.</i>	299	viscosa, <i>L.</i>	406
monodactyla, <i>Stapf.</i>	300	Dolicholus	381
anguinalis, <i>Scop.</i>	301	angolensis, <i>Hiern.</i>	381
Dioscorea	329	caribæus, <i>Hiern</i>	381
beccariana, <i>Mart.</i>	329	Dolichos	385
Buchananii, <i>Benth.</i>	329	euryphyllus, <i>Harms</i>	
dumetorum, <i>Pax</i>	329	forma lobata	385
quartiniana, <i>A. Rich.</i>	329	falciformis, <i>E. Mey.</i>	385
sativa, <i>L.</i>	329	gibbosus, <i>Thunb</i>	385
schimperiana, <i>Hochst.</i>	329	Hendrickxii, <i>Wildem.</i>	385
var. vestita, <i>Pax</i>	330	Lablab, <i>L.</i>	385
sylvatica, <i>Eckl.</i>	330	lupiniflorus, <i>N. E. Br.</i>	385
DIOSCOREACEAE	329	stipulosus, <i>Welw.</i>	
Dioscoreophyllum	353	var. Randii, <i>Bak. f.</i>	385
chirindense, <i>Swyn.</i>	353	tricostatus, <i>Bak. f.</i>	385
Diospyros	439	Dombea	418
mashuma?	439	densiflora, <i>Planch.</i>	418
mespiliformis, <i>Hochst.</i>	439	reticulata, <i>K. Schum.</i>	418
sabiensis, <i>Hiern</i>	439	rosea, <i>Bak. f.</i>	418
Dipcadi	324	rotundifolia, <i>Harv.</i>	418
anthericoides, <i>Engl.</i>	324	Doryalis	423
filamentosum, <i>Medic.</i>	324	caffra, <i>Sim.</i>	423
hyacinthoides, <i>Bak.</i>	324	macrocalyx, <i>Warb.</i>	423
viride, <i>Moench.</i>	324	Zeyheri, (<i>Sond.</i>)	423
Diphaca	377	Doryalis	423
trichocarpa, <i>Taub.</i>	377	Dracena	325
Diplachne	307	fragrans, <i>Gawl.</i>	325
alopeuroides, <i>Stapf.</i>	307	gazensis, <i>Rendle</i>	325
biflora, <i>Hack.</i>		Drimopsis	325
var. Buchananii, <i>Stapf</i>	307	maculata, <i>Lindl.</i>	325
Diplophium	434	Drosera	357
zambesianum, <i>Hiern</i>	434	burkeana, <i>Planch.</i>	357
Diplorrhynchus	445	indica, <i>L.</i>	357
mossambicensis, <i>Benth.</i>	445	ramentacea, <i>Burch.</i>	357

	PAGE		PAGE
DROSERACEAE	357	Empogona	491
Dumasia	380	Allenii, Stapf	491
villosa, DC.	380	Englerastrum	464
Duranta	459	Schweinfurthii, Briq.	464
Plumieri, Jacq.	459	Enneapogon	307
Dyschoriste	481	mollis, Lehm.	307
alba, S. Moore	481	Entada sp.	364
depressa, Nees	482	Epaltes	509
Fischeri, Lindau	482	gariepina, Steetz	509
matopensis, N. E. Br.	482	Epilobium	433
Monroi, S. Moore	482	neriophyllum, Hausskn.	433
Perrottetii, O. Ktze.	482	hirsutum L.	433
radicans, (T. And.) O. Ktze.	482	EQUISETACEAE	290
EBENACEAE	438	Equisetum	290
Ectadiopsis	446	ramosissimum, Desf.	290
oblongifolia, Benth.	446	Eragrostis	308
Ehretia	456	abyssinica?	308
amœna, Klotzsch	456	aspera, Nees	308
caffra, Sond.	456	Atherstonei, Stapf.	308
divaricata, Bak.	456	barbinodis, Hack.	308
Fischeri, Gürke	456	brizoides, Nees	308
hottentotica, Burch.	456	chalcantha, Trin.	308
mossambicensis, Klotzsch.	456	Chapelieri, Nees	308
Ekebergia	389	chloromelas, Steud.	308
arboorea, Bak. f.	389	congesta, Oliv.	308
Meyeri, Presl.	389	curvula, Nees	308
Elæodendron	404	denudata, Hack.	309
capense, E. & Z.	404	gangetica, Steud.	309
matabelicum, Loes.	404	gummiflua, Nees	309
ELATINACEAE	421	hispida, K. Schum.	309
Eleocharis	315	interrupta, Beauv.	
capitata, R. Br.	315	var. namaquensis, Dur. & Schnz.	309
Kirkii, C. B. Cl.	315	Jeffreysii, Hack.	309
Elephantopus	506	Lappula, Nees	
scaber, L.	506	var. divaricata, Stapf	309
Elephantorrhiza	364	lehmanniana, Nees	309
Burchelli, Benth.	364	major, Host	309
Burkei, Benth.	364	Marlothii, Hack.	308
rubescens, Gibbs	364	namaquensis, Nees	309
Eleusine	307	var. robusta, Stapf	309
corocana, Gaertn.	307	patentipilosa, Hack.	309
indica, Gaertn.	307	plana, Nees	309
Elionurus	295	plumosa, Link.	309
argenteus, Nees	295	sclerantha, Nees	
var. thymodora, Stapf	295	var. retinorrhæa, Steud.	310
Embelia	436	superba, Peyr.	310
nyassana, Gilg.	436	tenella, Stapf	
oleifolia, S. Moore	436	var. plumosa	310
Emilia	518	tenella, Beauv.	
flammea, Cass.	519	var. viscosa, Stapf	310
protracta, S. Moore	518	uniglumis, Hack.	310
sagittata, DC.	519	viscosa, Trin.	310
		Wilmsii, Stapf	310

	PAGE		PAGE
Euphorbia —		Faurea —	
<i>espinoza</i> , Pax	399	<i>usambarensis</i> , Engl.	341
<i>Eylesii</i> , Rendle	399	Felicia	506
<i>grandidens</i> , Haw.	399	<i>angustifolia</i> , Nees	506
<i>griseola</i> , Pax		<i>fascicularis</i> , DC.	506
var. <i>robusta</i> , Pax	399	<i>hyssoipifolia</i> , Nees	507
<i>helioscopia</i> , L.	399	<i>lutea</i> , N. E. Br.	507
<i>jaegeriana</i> , Pax	399	<i>simulans</i> ?	507
<i>livida</i> , E. Mey.	399	<i>tenella</i> , DC.	507
<i>matabelensis</i> , Pax	399	Feretia	491
<i>Mozambicensis</i> , N. E. Br.	399	<i>æruginescens</i> , Stapf	491
<i>Oatesii</i> , Rolfe	400	Ferraria	330
<i>Reinhardtii</i> , Volk.	400	<i>Randii</i> , Rendle	330
<i>rubriflora</i> , N. E. Br.	400	Festuca sp.	310
<i>schimperiana</i> , Scheele	400	Ficus	339
var. <i>Buchanani</i> , N. E. Br.	400	<i>caffra</i> , Mig.	339
<i>Schinzii</i> , Pax	400	<i>capensis</i> , Thunb	339
<i>tettensis</i> , Klotzsch	400	<i>capraefolia</i> , Del.	339
<i>tortistyla</i> , N. E. Br.	400	<i>exasperata</i> , Vahl.	339
<i>trichadenia</i> , Pax	400	<i>lutea</i> , Vahl.	339
<i>trifurca</i> , N. E. Br.	399	<i>maschonae</i> , Warb.	339
<i>whyteana</i> , Bak. f.	400	<i>matabelae</i> , Warb.	339
EUPHORBACEAE	392	<i>natalensis</i> , Hochst.	339
Euryops	519	<i>Rehmannii</i> , Warb.	339
<i>Osteospermum</i> , S. Moore	519	<i>rhodesiaca</i> , Warb.	339
var. <i>parvifolia</i> , S. Moore	519	<i>salicifolia</i> , Vahl	
Evolvulus	452	var. <i>australis</i> , Warb.	339
<i>alsinoides</i> , L.	452	<i>Sonderi</i> , Mig.	339
Exacum	442	var. <i>villosa</i> , Warb.	340
<i>quinquennervium</i> , Griseb.	442	<i>subcalcarata</i> , Wrb. & Schf.	340
Excoecaria sp.	398	<i>victoriae</i> , Warb.	340
<i>sylvestris</i> , S. Moore	398	Fimbraria	278
Exochænum	443	<i>marginata</i> , Nees	278
<i>exiguum</i> , A. W. Hill	443	Fimbristylis	315
<i>grande</i> , Griseb.	443	<i>Burchellii</i> , Fic. & Hiern	315
Eylesia	475	<i>diphylla</i> , Vahl.	315
<i>buchneroides</i> , S. Moore	475	<i>exilis</i> , Roem. & Schl.	315
Fabricia	379	<i>rhodesiana</i> , Rendle	315
<i>rugosa</i> , O. Ktze.	379	<i>schenoides</i> , Kunth.	316
<i>Zeyheri</i> , O. Ktze.	379	Flacourtia	422
Fadogia	494	<i>hirtiuscula</i> , Oliv.	422
<i>Cienkowski</i> , Schweinf.	494	<i>Ramontchi</i> , L'Hér.	422
<i>lateritica</i> , K. Krause	494	FLACOURTIACEAE	422
<i>obovata</i> , N. E. Br.	494	Flemingia	383
<i>stenophylla</i> , Welw.	494	<i>rhodocarpa</i> , Bak.	383
<i>tetraquetra</i> , K. Krause	494	Fleurya	340
<i>Zeyheri</i> , Sond.	494	<i>capensis</i> , Wedd.	340
Faurea	340	Floscopa	320
<i>racemosa</i> , Farmar	340	<i>glomerata</i> , Hassk.	320
<i>saligna</i> , Harv.	341	Flüggea	393
<i>speciosa</i> , Welw.	341	<i>microcarpa</i> , Blume	393
var. <i>lanuginosa</i> , Hiern	341	Fockea	451
		<i>Monroi</i> , S. Moore	451

	PAGE		PAGE
Freylinia	471	Geranium—	
tropica, <i>S. Moore</i>	471	Thodei, <i>R. Kunth</i>	385
Fuirena	314	Gerbera	522
glomerata, <i>Lam.</i>	314	abyssinica, <i>Sch. Bip.</i>	522
hirta, <i>Vahl.</i>	314	ambigua, <i>Sch. Bip.</i>	522
Ædipus, <i>C. B. Cl.</i>	314	discolor, <i>Sond.</i>	522
pachyrrhiza, <i>Ridl.</i>	314	natalensis, <i>Sch. Bip.</i>	522
pubescens, <i>Kunth.</i>	314	piloselloides, <i>Cass.</i>	522
stricta, <i>Stend.</i>	314	plantaginea, <i>Harv.</i>	522
subdigitata, <i>C. B. Cl.</i>	314	viridifolia, <i>Sch. Bip.</i>	522
umbellata, <i>Rottb.</i>	314	GESNERIACEAE	479
Welwitschii, <i>Ridley</i>	314	Gibbera	277
Galactia sp.	381	tinctoria, <i>Massee</i>	277
Galium	497	Giesekia	350
stenophyllum, <i>Bak.</i>	497	pharnaceoides, <i>L.</i>	350
Galopina	496	Gladiolus	331
circæoides, <i>Thunb.</i>	496	atropurpureus, <i>Bak.</i>	331
Garcinia	421	brevicaulis, <i>Bak.</i>	331
Livingstonei, <i>T. And.</i>	421	brevifolius, <i>Jacq.</i>	331
Gardenia	490	dracocephalus, <i>Hook. f.</i>	331
asperula, <i>Stpf. & Htch.</i>	490	gazensis, <i>Rendle</i>	331
Neuberia, <i>E. & Z.</i>	490	Melleri, <i>Bak.</i>	331
Norae, <i>Swyn.</i>	490	Oatesii, <i>Rolfe</i>	331
posoquerioides, <i>S. Moore</i>	490	permeabilis, <i>Delar.</i>	331
resiniflua, <i>Hiern</i>	490	primulinus, <i>Bak.</i>	331
rothmannia, <i>Linn. f.</i>	490	quartinianus, <i>A. Rich.</i>	331
spatulifolia, <i>S. & H.</i>	490	Gleditschia	368
thunbergia, <i>Linn. f.</i>	491	africana, <i>Welw.</i>	368
tigrina, <i>Welw.</i>	491	Gleichenia	288
Gazania	520	dichotoma, <i>Willd.</i>	288
krebsiana, <i>Less.</i>	520	polypodioides, <i>Sm.</i>	289
var. hispidula, <i>Hrv.</i>	520	umbraculifera, <i>T. Moore</i>	289
Geigeria	513	GLEICHENIACEAE	288
passerinoides, <i>Harv.</i>	513	Glinus sp.	350
protensa, <i>Harv.</i>		lotoides, <i>L.</i>	350
var. pubigera, <i>S. Moore</i>	513	Gloriosa	320
pubescens, <i>S. Moore</i>	513	simplex, <i>L.</i>	321
Randii, <i>S. Moore</i>	514	superba, <i>L.</i>	320
rhodesiana, <i>S. Moore</i>	514	virescens, <i>Lindl.</i>	321
Zeyheri, <i>Harv.</i>	514	Glycine	380
Gelonium	398	javanica, <i>L.</i>	380
procerum, <i>Prairie</i>	398	Gnaphalium	510
Geniosporum	466	luteo-album, <i>L.</i>	510
angolense, <i>Briq.</i>	466	Gnidia	425
Genlisea	479	anthylloides ?	425
africana, <i>Oliv.</i>	479	Buchananii, <i>Gilg.</i>	425
GENTIANACEAE	442	chrysantha, <i>Gilg.</i>	425
Geophila	496	kraussiana, <i>Meisn.</i>	425
uniflora, <i>Hiern</i>	496	microcephala, <i>Meisn.</i>	425
GERANIACEAE	385	microphylla, <i>Meisn.</i>	425
Geranium	385	phyllodinea, <i>S. Moore</i>	425
caffrum, <i>E. & Z.</i>	385	roridus, (<i>S. Moore</i>)	425
		Gomphocarpus	448

	PAGE		PAGE
Gomphocarpus—		Gynura—	
<i>aureus</i> , Schlechter	448	<i>cernua</i> , Benth.	517
<i>concolor</i> , Decne.	448	<i>crepidioides</i> , Benth.	517
<i>fruticosus</i> R. Br.	449	<i>sarcobasis</i> , DC.	517
<i>glaucophyllus</i> , Schltr.	449	<i>vitellina</i> , Benth.	517
<i>lineolatus</i> , Decne.	449	Gyrocarpus sp.	355
<i>physocarpus</i> , E. Mey.	449		
Gomphostigma	442	Habenaria	334
<i>scoparioides</i> , Turcz.	442	<i>antennifera</i> , Rolfe	334
Gonioma	445	<i>malocophylla</i> , Rehb. f.	334
<i>Kamassi</i> , E. Mey.	445	<i>pedicellaris</i> , Rehb. f.	334
Gossypium sp.	417	<i>Rehmanni</i> , Bolus.	334
Gouania	407	Hæmanthus	327
<i>longispicata</i> , Engl.	407	<i>Cecilae</i> , Bak.	327
Graderia	474	<i>multiflorus</i> , Martyn.	327
<i>scabra</i> , Benth.	474	<i>zambesiacus</i> , Bak.	327
GRAMINEAE	293	Halleria	471
Grangea	506	<i>lucida</i> , L.	471
<i>maderaspataana</i> , Poir	506	<i>Haplocarpha</i>	520
Grewia	410	<i>scaposa</i> , Harv.	520
<i>cana</i> , Sond.	410	<i>Hariota</i>	424
<i>chirindae</i> , Bak. f.	410	<i>parasitica</i> , O. Ktze.	424
<i>flava</i> , DC.	410	Haronga	420
<i>flavescens</i> , Juss.	410	<i>madagascariensis</i> , Choisi.	420
<i>guazumifolia</i> , Juss.	410	Harpagophytum	477
<i>monticola</i> , Sond.	410	<i>procumbens</i> , DC.	477
<i>obovata</i> , K. Schum.	410	<i>var. sublobatum</i> , Engl.	477
<i>occidentalis</i> , L.	411	<i>Harungana</i>	420
<i>pilosa</i> , Lam.	411	<i>paniculata</i> , Pers.	420
Grumilea	496	Hebenstreitia	473
<i>punicea</i> , S. Moore	496	<i>dentata</i> , Linn. f.	473
Guizotia	515	<i>elongata</i> , Bolus.	473
<i>abyssinica</i> , Cass.	515	<i>Holubii</i> , Rolfe	473
<i>Eylesii</i> , S. Moore	515	<i>Hedyotis</i>	488
GUTTIFERAE	420	<i>capensis</i> , Lam.	488
Gymnema	451	<i>decumbens</i> , Hochst.	488
<i>sylvestre</i> , R. Br.	451	<i>Heynei</i> , R. Br.	488
Gymnogramme	283	<i>hirtula</i> , Harv.	488
<i>argentea</i> , Mett.	283	<i>natalensis</i> , Hochst.	488
<i>var. aurea</i> , Mett.	284	<i>thymifolia</i> , Presl.	489
<i>cordata</i> , Schlecht.	284	Heeria	401
<i>var. namaquensis</i> , P. & R.	284	<i>insignis</i> , O. Ktze.	
<i>lanceolata</i> , Hook.	284	<i>var. reticulata</i> , Bak. f.	401
<i>leptophylla</i> , Desv.	284	<i>paniculosa</i> , Engl.	401
<i>rosea</i> , Desv.	284	<i>pulcherrima</i> , (Schwef.), O. Ktze.	402
Gymnosporia	404	<i>reticulata</i> , (Bak.) Engl.	402
<i>buxifolia</i> , (Sd.) Szyszyl.	404	Heinsenia	492
<i>senegalensis</i> , Loess.	404	<i>sylvestris</i> , S. Moore	492
<i>var. inermis</i> ?	404	Heinsia	491
<i>var. spinosa</i> ?	404	<i>jasminiflora</i> , DC.	491
Gyandropsis	356	Heleocharis	315
<i>pentaphylla</i> , DC.	356	<i>capitata</i> , Boeck.	315
Gynura	517	<i>Kirkii</i> , C. B. Cl.	315

	PAGE		PAGE
<i>Helichrysum</i>	510	<i>Hermbstædtia</i> —	
<i>acervatum</i> , <i>S. Moore</i>	510	<i>elegans</i> , <i>Moq.</i>	348
<i>adenocarpum</i> , <i>DC.</i>	510	<i>HERNANDIACEAE</i>	355
<i>appendiculatum</i> , <i>Less.</i>	510	<i>Hesperantha</i>	330
<i>argyrophærum</i> , <i>DC.</i>	510	<i>matensis</i> , <i>Gibbs</i>	330
<i>auriculatum</i> , <i>Less.</i>	510	<i>Heteromorpha</i>	434
<i>brunioides</i> , <i>S. Moore</i>	510	<i>arborescens</i> , <i>Cham. & Seht.</i>	434
<i>Buchanani</i> , <i>Engl.</i>	511	<i>Heteropogon</i>	295
<i>cæspitium</i> , <i>Sond.</i>	511	<i>contortus</i> , <i>Roem. & Schl.</i>	295
<i>callicomum</i> , <i>Harv.</i>	511	<i>Hevea</i> sp.	397
<i>cymosum</i> , <i>Less.</i>	511	<i>Hewittia</i>	453
<i>declinatum</i> , <i>Less.</i>	511	<i>bicolor</i> , <i>Wight.</i>	453
<i>ericæfolium</i> , <i>Less.</i>	511	<i>Hexalobus</i>	354
<i>fulgidum</i> , <i>Willd.</i>	511	<i>senegalensis</i> , <i>A. DC.</i>	354
<i>gazense</i> , <i>S. Moore</i>	511	<i>Hibiscus</i>	414
<i>Kraussii</i> , <i>Sch. Bip.</i>	511	<i>æthiopicus</i> , <i>L.</i>	414
<i>latifolium</i> , <i>Less.</i>	511	<i>Allenii</i> , <i>Sprague & Htch.</i>	414
<i>leiopodium</i> , <i>DC.</i>	511	<i>articulatus</i> , <i>Hochst.</i>	414
<i>leptolepis</i> , <i>DC.</i>	511	<i>caesi</i> us, <i>Garcke</i>	415
<i>nitens</i> , <i>O. & H.</i>	512	<i>calycinus</i> , <i>Willd.</i>	415
<i>quinquenerve</i> , <i>Less.</i>	512	<i>calyphyllus</i> , <i>Cav.</i>	415
<i>Saweri</i> , <i>S. Moore</i>	512	<i>cannabinus</i> , <i>L.</i>	415
<i>setosum</i> , <i>Harv.</i>	512	<i>diversifolius</i> , <i>Jacq.</i>	415
<i>stenopterum</i> , <i>DC.</i>	512	<i>fureatus</i> , <i>Roxb.</i>	415
var. <i>citrinum</i> , <i>S. Moore</i>	512	<i>gossypinus</i> , <i>Thunb.</i>	415
<i>Swynnertonii</i> , <i>S. Moore</i>	512	<i>Kirkii</i> , <i>Mast.</i>	415
<i>Helinus</i>	407	<i>micranthus</i> , <i>L.</i>	415
<i>mystacinus</i> , <i>Hemsl.</i>	407	forma <i>macranthus</i> ?	415
<i>mystacinus</i> , <i>E. Mey. ?</i>	407	<i>mutatus</i> , <i>N. E. Br.</i>	415
<i>ovatus</i> , <i>E. Mey.</i>	407	<i>panduriformis</i> , <i>Burm.</i>	415
<i>Heliophila</i> sp.	355	<i>pentaphyllus</i> , <i>F. Muell.</i>	415
<i>Heliotropium</i>	463	<i>physaloides</i> , <i>G. & P.</i>	415
<i>marifolium</i> , <i>Retz.</i>	463	<i>pusillus</i> , <i>Thunb.</i>	416
<i>ovalifolium</i> , <i>Forsk.</i>	463	<i>rhodanthus</i> , <i>Gürke</i>	415
<i>zeylanicum</i> , <i>Lam.</i>	463	<i>rhodesicus</i> , <i>Bak. f.</i>	416
<i>Hemigraphis</i>	482	<i>Schinzii</i> , <i>Gürke</i>	416
<i>myosotiflora</i> , <i>Stapf.</i>	482	<i>shirensis</i> , <i>Sprague & H.</i>	416
<i>prunelloides</i> , <i>S. Moore</i>	482	<i>Solandra</i> , <i>L'Hér.</i>	416
<i>Hemizygia</i>	466	<i>surratensis</i> , <i>L.</i>	416
<i>bracteosa</i> , <i>Brig.</i>	467	<i>Swynnertonii</i> , <i>Bak. f.</i>	416
<i>flabellifolia</i> , <i>S. Moore</i>	466	<i>ternatus</i> , <i>Mast.</i>	416
<i>ornata</i> , <i>S. Moore</i>	466	<i>Trionum</i> , <i>L.</i>	416
<i>teucriifolia</i> , <i>Brig.</i>	468	<i>vitifolius</i> , <i>L.</i>	416
<i>HEPATICAE</i>	278	<i>Hippeastrum</i>	328
<i>Hermannia</i>	418	<i>equestre</i> , <i>Herb.</i>	328
<i>boraginiflora</i> , <i>Hook.</i>	418	<i>Hippocratea</i>	405
<i>brachypetala</i> , <i>Harv.</i>	418	<i>Buchanani</i> , <i>Loes.</i>	405
<i>depressa</i> , <i>N. E. Br.</i>	418	<i>cymosa</i> , <i>De Wild. & Th. Dur.</i>	405
<i>filipes</i> , <i>Harv.</i>	418	<i>obtusifolia</i> , <i>Roxb.</i>	405
<i>quartiniana</i> , <i>Rich.</i>	418	<i>HIPPOCRATEACEAE</i>	405
<i>viscosa</i> , <i>Hiern.</i>	418	<i>Holarrhena</i>	445
var. <i>Randii</i> , <i>Bak. f.</i>	419	<i>febrifuga</i> , <i>Klotzsch</i>	445
<i>Hermbstædtia</i>	348	<i>Holothrix</i>	333

	PAGE		PAGE
Holothrix—		Hypolepis	285
<i>grandiflora</i> , <i>Rchb. f.</i>	333	<i>anthriscifolia</i> , <i>Presl.</i>	285
<i>Randii</i> , <i>Rendle</i>	334	<i>bergiana</i> , <i>Hook.</i>	286
Hoslundia	465	<i>Schimperi</i> , <i>Sim.</i>	286
<i>decumbens</i> , <i>Benth.</i>	465	Hypoxis	328
<i>opposita</i> , <i>Vahl</i>		<i>angustifolia</i> , <i>Lam.</i>	328
<i>var. decumbens</i> , <i>Bak.</i>	465	<i>rigidula</i> , <i>Bak.</i>	328
<i>verticillata</i> , <i>Vahl</i>	465	<i>var. pilosissima</i> , <i>Bak.</i>	328
Huernia sp.	451	<i>Rooperii</i> , <i>S. Moore</i>	328
Humea	512	<i>villosa</i> , <i>Linn. f.</i>	328
<i>africana</i> , <i>S. Moore</i>	512	Hyptis	463
Hybanthus	422	<i>pectinata</i> , <i>Poit.</i>	463
<i>enneaspermum</i> , (<i>Vent.</i>)	422		
Hydnora	345	<i>Iboza</i>	466
<i>africana</i> , <i>Thunb.</i>	345	<i>riparia</i> , <i>N. E. Br.</i>	466
HYDNORACEAE	345	ICACTINACEAE	405
Hydrilla	293	<i>Ilex</i>	403
<i>verticillata</i> , <i>Royle</i>	293	<i>capensis</i> , <i>Sond. & Harv.</i>	403
HYDROCHARITACEAE	293	<i>mitis</i> , <i>Radl.</i>	403
Hydrocotyle	433	<i>Ilysanthes</i>	473
<i>asiatica</i> , <i>L.</i>	433	<i>conferta</i> , <i>Hiern.</i>	473
<i>moschata</i> , <i>Forst.</i>	433	<i>micrantha</i> , <i>S. Moore</i>	473
HYDROSTACHYACEAE	357	<i>Muddii</i> , <i>Hiern.</i>	473
Hydrostachys	357	<i>Plantaginella</i> , <i>S. Moore</i>	473
<i>polymorpha</i> , <i>Klotzsch.</i>	357	Impatiens	406
Hygrophila	481	<i>Cecili</i> , <i>N. E. Br.</i>	406
<i>cataractae</i> , <i>S. Moore</i>	481	<i>walleriana</i> , <i>Hook. f.</i>	406
<i>rhodesiana</i> , <i>S. Moore</i>	481	<i>zombensis</i> , <i>Bak.</i>	406
Hymenocallis		Imperata	293
<i>senegambica</i> , <i>Kunth & Bouché</i>	326	<i>arundinacea</i> , <i>Cyr.</i>	293
Hymenocardia	394	<i>var. Thunbergii</i> , <i>Hack.</i>	294
<i>acida</i> , <i>Tul.</i>	394	<i>cylindrica</i> , <i>Beauv.</i>	293
Hymenochæte	277	Indigofera	372
<i>rubiginosa</i> , <i>Lév.</i>	277	<i>adenoides</i> , <i>Bak. f.</i>	372
HYMENOPHYLLACEAE	279	<i>arrecta</i> , <i>Hochst.</i>	372
Hymenophyllum	279	<i>Cecili</i> , <i>N. E. Br.</i>	373
<i>gracile</i> , <i>Bory.</i>	279	<i>cryptantha</i> , <i>Benth.</i>	373
<i>Hypericophyllum</i>	516	<i>daleoides</i> , <i>Benth.</i>	373
<i>elatum</i> , <i>N. E. Br.</i>	516	<i>diphylla</i> , <i>Vent.</i>	373
Hypericum	420	<i>emarginella</i> , <i>Steud.</i>	373
<i>æthiopicum</i> , <i>Thunb.</i>	420	<i>endecaphylla</i> , <i>Jacq.</i>	373
<i>Lalandii</i> , <i>Choisy</i>	420	<i>filipes</i> , <i>Benth.</i>	373
<i>lanceolatum</i> , <i>Lam.</i>	420	<i>Flanagani</i> , <i>Bolus</i>	373
<i>Hypertelis</i>	350	<i>flavicans</i> , <i>Bak.</i>	373
<i>verrucosa</i> , <i>Fenzl.</i>	350	<i>goniodes</i> , <i>Hochst.</i>	373
Hyphæne	316	<i>hedyantha</i> , <i>E. & Z.</i>	373
<i>crinita</i> , <i>Gaertn.</i>	316	<i>heptaphylla</i> , <i>Hiern.</i>	373
<i>ventricosa</i> , <i>Kirk</i>	316	<i>heterotricha</i> , <i>DC.</i>	373
HYPHOMYCETES	277	<i>var. rhodesiana</i> , <i>Bak. f.</i>	374
Hypnum sp.	278	<i>hilaris</i> , <i>E. & Z.</i>	374
Hypoestes		<i>hirsuta</i> , <i>L.</i>	374
<i>aristata</i> , <i>R. Br.</i>	485	<i>inyangana</i> , <i>N. E. Br.</i>	374
<i>verticillaris</i> , <i>R. Br.</i>	485	<i>Lyallii</i> , <i>Bak.</i>	374

	PAGE		PAGE
Indigofera—		Ipomœa—	
oxalidea, <i>Welsch</i>	374	Randii, <i>Rendle</i>	455
pentaphylla, <i>L.</i>	374	reptans, <i>Poir.</i>	453
procera, <i>Schum. & Thonn.</i>	374	rhodesiana, <i>Rendle</i>	455
Schimper <i>Jarb. & Speh.</i>	374	shirambensis, <i>Bak.</i>	455
secundiflora, <i>Poir.</i>	374	shupangensis, <i>Bak.</i>	455
senegalensis, <i>Lam.</i>	374	simplex	
sericea, <i>Benth.</i>		var. obtusisepala, <i>Rendle</i>	455
var. australis, <i>Bak. f.</i>	374	stenosiphon, <i>Hal. f.</i>	455
strobilifera, <i>Hochst.</i>	374	verbascoidea, <i>Choisy</i>	456
transvaalensis, <i>Bkr. fil.</i>	375	Welwitschii, <i>Fatke</i>	456
<i>Iussia</i>	366	Wightii, <i>Choisy</i>	456
cuanzensis, <i>O. Kuntze.</i>	366	IRIDACEAE.....	330
<i>Inula</i>	513	Isachne.....	299
acervata, <i>S. Moore</i>	513	albena, <i>Trin.</i>	299
glomerata, <i>O. & H.</i>	513	Ischaemum.....	294
<i>Ionidium</i>	422	fasciculatum, <i>Brongn.</i>	294
enneaspermum, <i>Vent.</i>	422	var. arcuatum, <i>Hack.</i>	294
Ipomœa.....	453	Isoglossa.....	486
angustifolia, <i>Jacq.</i>	453	mossambicensis, <i>Lindau.</i>	486
angustisecta, <i>Engl.</i>	453		
aquatica, <i>Forsk.</i>	453	Jacquemontia.....	452
blepharophylla, <i>Hal. f.</i>	453	capitata, <i>G. Dou.</i>	452
bolusiana, <i>Schinz.</i>	453	Jasminum.....	440
calycina, <i>Benth.</i>	453	mauritanum, <i>Bojer.</i>	440
cardiosepala, <i>Hochst.</i>	453	oleacearum, <i>Bak.</i>	440
Cecilia, <i>N. E. Br.</i>	454	stenolobum, <i>Rolfe</i>	441
coscinosperma, <i>Hochst.</i>		Jaumea.....	516
var. hirta, <i>Rich.</i>	454	compositarum, <i>Bth. & Hk.</i>	516
crassipes, <i>Hook.</i>	454	elata, (<i>N. E. Br.</i>).....	516
var. cordifolia, <i>Rendle.</i>	454	JUNCACEAE.....	320
var. thunbergioides, <i>Hal. f.</i>	454	Juncus.....	320
dammarana, <i>Rendle</i>	454	Fontanesii, <i>J. Gay</i>	320
dissecta, <i>Willd.</i>	454	Jussieu.....	432
Elliotii, <i>Bak.</i>	456	angustifolia, <i>Lam.</i>	432
eriocarpa, <i>R. Br.</i>	454	diffusa, <i>Forsk.</i>	432
fragilis, <i>Choisy.</i>	454	repens, <i>L.</i>	432
var. pubescens, <i>Hal. f.</i>	454	suffruticosa, <i>L.</i>	432
var. Randii?.....	454	villosa, <i>Lam.</i>	432
Holubii, <i>Bak.</i>	454	Justicia.....	486
involuta, <i>Beauv.</i>	454	Bagshawei, (<i>S. Moore</i>).....	486
lapathifolia, <i>Hal. f.</i>	454	Betonica, <i>L.</i>	486
lilacina, <i>Blume.</i>	455	betonicoides, <i>C. B. Cl.</i>	486
Lugardi, <i>N. E. Br.</i>		debilis, <i>Vahl.</i>	486
var. parviflora, <i>Rendle.</i>	455	elegantula, <i>S. Moore</i>	486
magnusiana, <i>Schinz.</i>	455	var. elatior, <i>S. Moore</i>	486
obscura, <i>Ker.</i>	455	var. repens, <i>S. Moore</i>	486
Papilio, <i>Hal. f.</i>	455	exigua, <i>S. Moore</i>	486
Pes-tigridis, <i>L.</i>	455	Eylesii, (<i>S. Moore</i>).....	486
pileata, <i>Roxb.</i>	455	filifolia, <i>Lindau</i>	487
pterygocaulis, <i>Choisy</i>	453	flava, <i>Vahl.</i>	487
pubescens, <i>Choisy</i>		glabra, <i>Roxb.</i>	487
var. pubescens, <i>Hal. f.</i>	455	matammensis, <i>Oliv.</i>	487

	PAGE		PAGE
Justicia—		Laggera—	
<i>Melampyrum</i> , <i>S. Moore</i>	487	<i>alata</i> , <i>Sch. Bip.</i>	509
<i>prostrata</i> , <i>Nees</i>	486	<i>brevipes</i> , <i>O. & H.</i>	509
<i>protracta</i> , <i>T. And.</i>	487	<i>pterodonta</i> , <i>Sch. Bip.</i>	509
<i>pulegioides</i> , <i>E. Mey.</i>	487	<i>purpurascens</i> , <i>Sch. Bip.</i>	509
<i>rhodesiana</i> , <i>S. Moore</i>	487	<i>Landolphia</i>	444
<i>uncinulata</i> , <i>Oliv.</i>	487	<i>Buchananii</i> , <i>Stapf</i>	444
<i>Kæmpferia</i>	333	<i>Kirkii</i> , <i>Dyer</i>	444
<i>Carsoni</i> , <i>Bak.</i>	333	? <i>lucida</i> , <i>K. Schum.</i>	444
<i>Kirkii</i> , <i>K. Schum.</i>	333	<i>Swynnertonii</i> , <i>S. Moore</i>	444
<i>var. elatior</i> , <i>Stapf</i>	333	<i>Lannea</i>	401
<i>Kalanchoe</i>	357	<i>discolor</i> , <i>Engl.</i>	401
<i>ægyptiaca</i> , <i>DC.</i>	357	<i>edulis</i> , <i>Engl.</i>	401
<i>crenata</i> , <i>Haw.</i>	357	<i>var. integrifolia</i> , <i>Engl.</i>	401
<i>glandulosa</i> , <i>Hochst.</i>	358	<i>Schimperi</i> , <i>Engl.</i>	401
<i>var. rhodesica</i> , <i>Bak. f.</i>	358	<i>Stuhlmanni</i> , <i>Engl.</i>	401
<i>paniculata</i> , <i>Harv.</i>	358	<i>Wodier</i> , <i>Roxb.</i>	
<i>pilosa</i> , <i>Bak.</i>	358	<i>var. brevifolia</i> , <i>Engl.</i>	401
<i>rotundifolia</i> , <i>Haw.</i>	358	<i>Lantana</i>	458
<i>thyrsiflora</i> , <i>Harv.</i>	358	<i>salvifolia</i> , <i>Jacq.</i>	458
<i>Kanahia</i>	448	<i>Lapeyrousia</i>	332
<i>glaberrima</i> , <i>N. E. Br.</i>	448	<i>caudata</i> , <i>Schinz.</i>	332
<i>Monroi</i> , <i>S. Moore</i>	448	<i>cruenta</i> , <i>Bkr.</i>	332
<i>Khaya</i>	388	<i>cyaneascens</i> , <i>Bak.</i>	332
<i>nyasica</i> , <i>Stapf</i>	388	<i>grandiflora</i> , <i>Bak.</i>	332
<i>Kigelia</i>	477	<i>odoratissima</i> , <i>Bak.</i>	332
<i>pinnata</i> , <i>DC.</i>		<i>porphyrosiphon</i> , <i>Bak.</i>	332
<i>var. tomentella</i> , <i>Sprague</i>	477	<i>rhodesiana</i> , <i>N. E. Br.</i>	332
<i>Kiggelaria</i>	422	<i>Sandersoni</i> , <i>Bak.</i>	332
<i>africana</i> , <i>L.</i>	422	<i>Welwitschii</i> , <i>Bak.</i>	332
<i>Kirkia</i>	388	<i>Lasiocorys</i>	461
<i>acuminata</i> , <i>Oliv.</i>	388	<i>capensis</i> , <i>Benth.</i>	461
<i>Kleinia</i>	518	<i>Lasiodiscus</i>	407
<i>longiflora</i> , <i>DC.</i>	518	<i>Holtzii</i> , <i>Engl.</i>	407
<i>Kniphofia</i>	322	<i>Lasiosiphon</i>	425
<i>rhodesiana</i> , <i>Rendle</i>	322	<i>Kraussii</i> , <i>Meisn.</i>	425
<i>Kochia</i>	347	<i>roridus</i> , <i>S. Moore</i>	425
<i>decumbens</i> , <i>Hochst.</i>	347	LAURACEAE	354
<i>Kœleria</i>	310	<i>Lefeburia</i>	434
<i>cristata</i> , <i>Pers.</i>	310	<i>benguellensis</i> , <i>Welw.</i>	434
<i>Kosteletzkyia</i>	416	LEGUMINOSAE	361
<i>Büttneri</i> , <i>Gürke</i>	416	LENTIBULARIACEAE	479
<i>Kyllinga</i>	313	<i>Leonotis</i>	461
<i>alba</i> , <i>Nees</i>	313	<i>melleri</i> , <i>Baker</i>	461
<i>erecta</i> , <i>Schum.</i>	313	<i>mollissima</i> , <i>Gürke</i>	461
LABIATÆ	461	<i>nepetifolia</i> , <i>R. Br.</i>	461
<i>Lactuca</i>	523	<i>Randii</i> , <i>S. Moore</i>	461
<i>capensis</i> , <i>Thunb.</i>	523	<i>spectabilis</i> , <i>S. Moore</i>	461
<i>dreyeana</i> , <i>DC.</i>	523	<i>Lepidagathis</i>	
<i>virosa</i> , <i>Thunb.</i>	523	<i>scariosa</i> , <i>Nees</i>	483
<i>Laggera</i>	509	<i>Leptactinia</i>	490
		<i>lanceolata</i> , <i>K. Schum.</i>	490
		<i>Leptaspis</i>	303

	PAGE		PAGE
Leptaspis—		Lippia—	
cochleata, <i>Thur.</i>	303	asperifolia, <i>Rich.</i>	458
<i>Leptocarydion</i>	307	Oatesii, <i>Rolfe</i>	458
<i>alopcuroides</i> , <i>Stapf.</i>	307	Wilmsii, <i>Pearson</i>	458
<i>Leptochloa</i>	308	<i>Lissochilus</i>	335
<i>falcata</i> , <i>Hack.</i>	308	arenarius, <i>Lindl.</i>	335
<i>Leptogium</i> sp.	277	Buchanani, <i>Rehb. f.</i>	335
<i>Lessertia</i>	377	<i>clitellifer</i> , <i>Rehb. f.</i>	336
<i>pauciflora</i> , <i>Harv.</i>	377	<i>dilectus</i> , <i>Rehb. f.</i>	335
<i>stipulata</i> , <i>Bak. f.</i>	377	Eylesii, <i>Rendle</i>	335
<i>Leucas</i>	461	<i>Krebsii</i> , <i>Rehb. f.</i>	336
<i>capensis</i> , <i>Engl.</i>	461	<i>livingstonianus</i> , <i>Rehb. f.</i>	336
<i>martinicensis</i> , <i>R. Br.</i>	462	<i>microceras</i> , <i>Rehb. f.</i>	336
<i>musakensis</i> , <i>Bak.</i>	462	<i>milanjanus</i> , <i>Rendle</i>	336
<i>milanjiana</i> , <i>Gürke</i>	462	<i>Oatesii</i> , <i>Rolfe</i>	336
<i>neuflyzeana</i> , <i>Courb.</i>	462	<i>papillionaceus</i> , <i>Rendle</i>	336
<i>nyassae</i> , <i>Gürke</i>	462	<i>saccatus</i> , <i>Rendle</i>	336
<i>Randii</i> , <i>S. Moore</i>	462	<i>speciosus</i> , <i>R. Br.</i>	336
<i>stricta</i> , <i>Bak.</i>	462	<i>Wakefieldii</i> , <i>Rehb. f. & S. Moore</i>	336
<i>Leucosidea</i>	359	<i>Listia</i>	369
<i>sericea</i> , <i>E. & Z.</i>	359	<i>heterophylla</i> , <i>E. Mey</i>	369
<i>Leucospermum</i>	342	<i>Lithospermum</i> sp.	457
<i>saxosum</i> , <i>S. Moore</i>	342	<i>Lobelia</i>	501
<i>LICHENES</i>	277	<i>Boivini</i> , <i>Sond.</i>	501
<i>Lichtensteinia</i> sp.	434	<i>cobaltica</i> , <i>S. Moore</i>	501
<i>Lightfootia</i>	500	<i>decipiens</i> , <i>Sond.</i>	501
<i>abyssinica</i> , <i>Hochst.</i>	500	<i>Erinus</i> , <i>L.</i>	501
<i>capillaris</i> , <i>Buek.</i>	500	<i>var. microdon</i> , <i>Sond.</i>	501
<i>denticulata</i> , <i>Sond.</i>	501	<i>fervens</i> , <i>Thunb.</i>	501
<i>glomerata</i> , <i>Engl.</i>	501	<i>fonticola</i> , <i>Engl. & Gilg.</i>	501
<i>junceae</i> , <i>Sond.</i>	501	<i>jugosa</i> , <i>S. Moore</i>	501
<i>tenuifolia</i> , <i>A. DC.</i>	501	<i>microdon</i> , <i>A. DC.</i>	502
<i>LILIACEAE</i>	320	<i>minutidentata</i> , <i>Engl. & G.</i>	502
<i>Limeum</i>	349	<i>natalensis</i> , <i>A. DC.</i>	502
<i>fenestrata</i> , <i>Fenzl.</i>	349	<i>thermalis</i> , <i>Thunb.</i>	502
<i>viscosum</i> , <i>Fenzl.</i>	349	<i>trullifolia</i> , <i>Hemsl.</i>	502
<i>Limnanthemum</i>	444	<i>Lochnera</i>	445
<i>indicum</i> , <i>Dur. & De Wild.</i>	444	<i>rosea</i> , <i>Reichb.</i>	445
<i>thunbergianum</i> , <i>Griseb.</i>	444	<i>LOGANIACEAE</i>	441
<i>Limnophila</i>	472	<i>Lolium</i> sp.	310
<i>ceratophylloides</i> , <i>Skan.</i>	472	<i>Lomaria</i>	281
<i>gratioloides</i> , <i>R. Br.</i>	472	<i>attenuata</i> , <i>Willd.</i>	281
<i>sessiflora</i> , <i>Blume</i>	472	<i>Boryana</i> , <i>Willd.</i>	281
<i>Limosella</i>	472	<i>procera</i> , <i>Spreng.</i>	281
<i>aquatica</i> , <i>L.</i>		<i>punctulata</i> , <i>Kze.</i>	281
<i>var. tenuifolia</i> , <i>Hk. f.</i>	472	<i>Lonchocarpus</i>	380
<i>LINACEAE</i>	386	<i>capassa</i> , <i>Rolfe</i>	380
<i>Linum</i>	386	<i>luxiflorus</i> , <i>G. & P.</i>	380
<i>Thunbergii</i> , <i>E. & Z.</i>	386	<i>Phileoptera</i> , <i>Benth.</i>	380
<i>Lipocarpa</i>	311	<i>speciosus</i> ?	380
<i>argentea</i> , <i>R. Br.</i>	311	<i>violaceus</i> , <i>Oliv.</i>	380
<i>monocephala</i> , <i>Turrill</i>	311	<i>Lopholena</i>	517
<i>Lippia</i>	458	<i>brickellioides</i> , <i>S. Moore</i>	517

	PAGE		PAGE
Lopholæna—		Lythrum—	
Randii, S. Moore	517	sagittifolium, Sond.....	426
LORANTHACEÆ	342	Maba	439
Loranthus	342	Mualala, Welw.....	439
bulawayensis, Engl.	342	Macaranga.....	395
Ceciliae, N. E. Br.	342	mellifera, Prain	395
curviflorus, Schinz	342	Macropetalum	450
Dregei, E. & Z.....	342	Burchellii, Decne	450
var. subcuneifolius, Sprague	342	Macrorungia	485
erianthus, Sprague	342	pubinervia, C. B. Cl.	485
Eylesii, Sprague	342	Madotheca	278
guttatus, Sprague	342	capensis, Gottsche.....	278
kalachariensis, Schinz	343	Maerua	356
kraussianus, Meisn.	343	arenicola, Gilg.....	356
kraussianus, Gibbs	343	cafra, Pax.....	356
Meyeri, Presl.	343	maschonica, Gilg.	356
nweruensis, Bak.....	343	nervosa, Oliv.	356
namaquensis, Harv.	343	var. flagellaris, Oliv.	356
quinquangulus, Engl. & Schinz.		Maesa	436
var. pedicellatus, Sprague	343	lanceolata, Forsk.....	436
Swynnertonii, Sprague	343	rufescens, A. DC.....	436
virescens, N. E. Br.....	343	Mahernia	418
zambesicus, Gibbs.....	343	abyssinica, Hochst.....	418
Lotononis	369	Mullotus	395
aristata, Schinz		Melleri, Müll. Arg.	395
var. gazensis, Bak. f.	369	MALPIGHIACEÆ	390
Leobordea, Benth.	369	MALVACEÆ	412
Lova	390	Malvastrum spp.	413
Swynnertonii, Bak. f.	390	Manihot	397
Ludwigia	432	Glaziovii, Müll. Arg.	397
jussiaoides, Harv.	432	Manulea.....	471
pulvinaris, Gilg.....	432	rhodesiana, S. Moore	471
Lycium	468	Marattia	290
arabicum, Schweinf.	468	fraxinea, Sm.	290
horridum, Thunb.....	468	MARATTIACEÆ	290
persicum, Miers	468	Marchantia	278
tetrandrum, Thunb.....	468	polymorpha, L.	278
LYCOPODIACEÆ	291	Margaretta.....	448
Lycopodium	291	Holstii, K. Schum.	448
carolinianum, L.	291	Whytei, K. Schum.	448
cernuum, L.	291	Mariscus	
clavatum, L.		hemisphaericus, C. B. Cl.....	312
var. inflexum, Spring.....	291	radiatus ?	313
verticillatum, L.	291	sieberianus, Nees	313
Lygodium	289	Markhamia	477
Brycei, Bak.	289	acuminata, Sprague.....	477
Kerstenii, Kuhn.	289	lanata, K. Schum.....	477
subulatum, Bojer	289	Marsdenia	451
Lyperia	471	zambesiaca, Schlechter	451
atropurpurea, Benth.	471	Marsca	
burkeana, Benth.	471	egyptiaca, Hiern	507
LYTHRACEÆ	425	persicaefolia, Hiern	503
Lythrum	426		

	PAGE		PAGE
Marsilia	290	Mesosiphacrum	
biloba, Willd.	290	pectinatum, O. Kuntze	463
capensis, A. Br.	290	Microcharis sp.	376
macrocarpa, Presl.		Microchloa	306
var. lobata, Sim	290	caffra, Nees	306
MARSILIACEAE	290	Micromeria	
Meibomia		biflora, Benth.	462
dimorpha, O. Kuntze	378	Mikania	506
lasiocarpa, O. Kuntze	378	capensis	506
oxybractea, O. Kuntze	379	scandens, Willd.	506
repanda, O. Kuntze	379	Mimosa	363
Melanthera	515	asperata, L.	363
Brownii, Sch. Bip.	515	Mimulus	472
Melasma	473	angustifolius, Hochst.	472
communis (Hemsl.)	473	gracilis, R. Br.	472
orobanchoides, Engl.	473	strictus, Benth.	472
sessiliflorum, Hiern	474	Mimusops	437
MELASTOMATACEAE	431	decorifolia, S. Moore	437
Melhania	417	Kirkii, Bak.	437
acuminata, Mast.	417	Mochisia, Bak.	437
ferruginea, A. Rich.	417	Monroi, S. Moore	437
Forbesii, Planch.	417	Zeyheri, Sond.	
linearifolia, Sond.	417	var. laurifolia, Engl.	438
obtusata, N. E. Br.	417	Mohria	289
prostrata, DC.	417	caffrorum, Desv.	289
forma latifolia ?	417	leptigera, Bak.	289
Randii, Bak. f.	417	Mollugo	350
Melia	389	Cerviana, Seringe	350
azedarach, L.	389	Glinus, A. Rich.	350
MELIACEAE	388	hirta, Thunb.	
MELIANTHACEAE	406	var. virens, Hiern	350
Melinis	298	nudicaulis, Lam.	350
minutiflora, Beauv.	298	Momordica	498
Mellera	481	Balsamina, L.	498
lobulata, S. Moore	481	clematidea, Sond.	498
Melochia	419	cordifolia, Sond.	498
corchorifolia, L.	419	foetida, Schum. & Thonn.	498
Melothria	498	involuta, E. Mey.	498
longepedunculata, Cogn.	498	Morkorra, A. Rich.	498
MENISPERMACEAE	353	Monechma	
Menodora	440	bracteatum, Hochst.	486
heterophylla, Moric.	440	MONIMIACEAE	354
Mentha	463	Monotes	421
longifolia, Huds.	463	africanus, A. DC.	
sylvestris, L.	463	var. denudans, Hiern	421
Merremia	453	glaber, Sprague	421
angustifolia, Hal. f.	453	hypoleucus, Gilg.	421
palmata, Hal. f.	453	Monsonia	386
pinnata, Hal. f.	453	biflora, DC.	386
pterygocaulos, Hal. f.	453	burkeana, Planch.	386
Mesembrianthemum	351	ovata, Cav.	386
Mahoni, N. E. Br.	351	MORACEAE	339
sp.	351	Morea	330

	PAGE		PAGE
Morea—		Nephrodium—	
<i>edulis</i> , Ker.	330	<i>Filix-mas</i> , Rich.	
<i>iridioides</i> , L.	330	<i>var. elongatum</i> , Hook.	280
<i>Randii</i> , Rendle.	330	<i>hippocrepis</i> , Desv.	280
Moschosma	466	<i>inaequale</i> , Hook.	280
<i>multiflorum</i> , Benth.	466	<i>mauritanum</i> , Fée.	280
<i>riparium</i> , Hochst.	466	<i>molle</i> , Desc.	280
Mostuea	441	<i>var. violaceum</i> , Mett.	280
<i>Walleri</i> , Bak.	441	<i>Thelypteris</i> , Desc.	280
Mucuna	381	<i>v. squamuligera</i> , Sch.	280
<i>coriacea</i> , Bak.	381	<i>unitum</i> , R. Br.	280
Mundulea	375	Nephrolepis	281
<i>suberosa</i> , Benth.	375	<i>cordifolia</i> , Presl.	281
Musa	333	<i>exaltata</i> , Schott.	280
<i>ensete</i> , Gmel.	333	Nesaea	426
MUSACEAE	333	<i>erecta</i> , G. & P.	426
MYSCI	278	<i>floribunda</i> , Sond.	426
Mussaenda	490	<i>heptamera</i> , Hiern	426
<i>arcuata</i> , Poir.	490	<i>mucronata</i> , Koehne	426
Myrianthus	340	<i>passerinoides</i> , Koehne	426
<i>arboreus</i> , Beauv.	340	<i>radicans</i> , Guill. & Perr.	426
Myrica	338	<i>rigidula</i> , Koehne	426
<i>athiopica</i> , L.	338	<i>sagittifolia</i> , Sond.	426
<i>pilulifera</i> , Rendle	338	<i>Stuhlmannii</i> , Koehne	427
<i>var. puberula</i> , Rendle	338	<i>triflora</i> , H. B. Kunth	427
MYRICACEAE	338	Neumannia	422
MYROTHAMNACEAE	359	<i>theaeformis</i> , (Benth.)	422
Myrothamnus	359	<i>Neurocarpa</i>	489
<i>flabellifolia</i> , Welw.	359	<i>lanceolata</i> , R. Br.	489
MYRSINACEAE	436	Nieandra	468
Myrsine	436	<i>physaloides</i> , Gaertn.	468
<i>africana</i> , L.	436	Nicolasia	509
MYRTACEAE	430	<i>nitens</i> , Sp. Moore	509
Mystacidium sp.	337	Nidorella	507
		<i>auriculata</i> , DC.	507
Nasturtium	355	<i>depauperata</i> , Harc.	507
<i>fluviale</i> , E. Mey.	355	<i>hirta</i> , DC.	507
Nelsonia	480	<i>microcephala</i> , Steetz	507
<i>campestris</i> , R. Br.	480	<i>namaquensis</i> , ?	507
<i>tomentosa</i> , Willd.	480	<i>resedifolia</i> , DC.	507
Nemesia	470	<i>Niebuhria</i>	356
<i>affinis</i> , Benth.	470	<i>nerosa</i> , Hochst.	356
<i>dentata</i> , G. Don.	470	<i>triphylla</i> , Wendl.	356
<i>divergens</i> , Benth.	470	Nitella	277
<i>fœtens</i> , Vent.	470	<i>hyalina</i> , Ag.	277
Neoboutonia	395	Nolletia sp.	508
<i>Melleri</i> , Prain	395	Nostoc	277
Nephrodium	279	<i>commune</i> , Vaucher.	277
<i>albo-punctatum</i> , Desc.	279	Notochlena	285
<i>athamanticum</i> , Hook.	279	<i>Buchanani</i> , Bak.	285
<i>bergianum</i> , Bak.	280	<i>inaequalis</i> , Kze.	285
<i>catopteron</i> , Hook.	280	Nuxia	442
<i>ciutarium</i> , Bak.	280	<i>dentata</i> , R. Br.	442

	PAGE		PAGE
Nuxia—		Oldenlandia—	
Holstii, Gilg.	442	natalensis, O. Kuntze	488
Sambesina, Gilg.	442	obtusiloba, Hiern	488
viscosa, Gibbs	442	papillosa, K. Schum.	489
NYCTAGINACEAE	349	rhodesiana, S. Moore	489
Nymphæa	352	thymifolia, Prantl.	489
lotus, L.	352	trinervia, Retz.	489
malabarica, Poir.	352	Welwitschii, Hiern	489
stellata, Willd.	352	Olea	440
NYMPHÆACEAE	352	chrysophylla, Lam.	440
Ochna	419	laurifolia, Lam.	440
Antunesii, Engl. & Gilg.	419	verrucosa, Link.	440
chirindica, Bak. f.	419	woodiana, Knobl.	440
leptoclada, Oliv.	419	OLEACEAE	440
pulchra, Hook. f.	419	Olinia	424
schweinfurthiana, F. Hfm.	420	vanguerioides, Bak. f.	424
OCHNACEAE	419	OLINIACEAE	424
Ocimum	466	Olyra	303
americanum, L.	466	latifolia, L.	303
angustifolium, Benth.	466	Oncinotis	446
bracteosum, Benth.	467	chirindica, S. Moore	446
Buchananii, Bak.	466	Oncoba	422
canum, Sims	467	spinosa, Forsk.	422
filamentosum, Forsk.	467	OPHIOGLOSSACEAE	290
knyanum, Vatke	467	Ophioglossum	290
obovatum, E. Mey.	467	reticulatum, L.	290
odontosepalum, S. Moore	467	vulgatum, L.	290
Randii, S. Moore	467	Opilia	345
scoparium, Gürke.	467	amentacea, Roxb.	345
sauve, Willd.	467	OPILLACEAE	345
Oetodiceras	278	Oplismenus	302
julianum, Brid.	278	africanus, Beauv.	302
Odina		Oranthera	
discolor, Sond.	401	jasminiflora, N. E. Br.	450
edulis, Sond.	401	ORCHIDACEAE	333
Schimperi, Hochst.	401	Ormocarpum	377
Stuhlmanni, Engl.	401	trichocarpum, Taub.	377
ONOTHERACEAE	432	Ormosia	369
OLACACEAE	345	angolensis, Bak.	369
Olex	345	Ornithoglossum	321
dissitiflora, Oliv.	345	glaucum, Salisb.	321
Oldenlandia	487	v. grandiflorum, Bak.	321
angolensis, K. Schum.	487	OROBANCHACEAE	479
Bojeri, Hiern	488	Orobanche	479
caffra, E. & Z.	488	minor, Sutton	479
capensis, Linn. f.	488	Orthosiphon	467
cuspidata, K. Schum.	488	bracteosus, Bak.	467
cynanchica, K. Schum.	488	Elliottii, Bak.	467
decumbens, Hiern	488	Kirkii, Bak.	467
Heynei, Oliv.	488	linearis, Benth.	467
hirtula, O. Kuntze	488	rhodesianus, S. Moore.	467
lasiocarpa, Hiern	488	shirensis, Bak.	467
		teucriifolius, N. E. Br.	467

	PAGE		PAGE
Orthosiphon—		Pachystigma—	
Woodii, Gürke	468	stenophylla, (Welch)	494
Orthotrichum sp.	278	tetraquetra, (K. Krause)	494
Orygia	350	Zeyheri, Sond.	494
decumbens, Forsk.	350	Pæpalanthus	318
Osbeckia	432	Wahlbergii, Körn.	318
antherotoma, Naud.	431	Pahudia	366
phæotricha, Hochst.	432	quangensis, Prain	366
Swynnertonii, Bak. f.	432	PALMAE	316
Osmunda	289	Pancratium	327
regalis, L.	289	Chapmanni, Harv.	327
OSMUNDACEAE	289	trianthum, Herb.	327
Osteospermum	519	Panicum	299
herbaceum, Linn. f.	519	bolbodes, Schwef.	299
moniliferum, L.	520	bizanthum, Hochst.	299
muricatum, E. Mey.	520	bulawayense, Hack.	299
Osyris	344	capillare, L.	299
abyssinica, Hochst.	344	colonum, L.	299
Othonna	519	coloratum, L.	299
ambifaria, S. Moore	519	commutatum, Nees	299
Otiophora	496	dregeanum, Nees	300
inyangana, N. E. Br.	496	Helopus, Trin.	300
serabra, Zucc.	496	heterostachyum, Hack.	300
Otomeria	489	Isachne, Roth. & Roem.	300
dilatata, Hiern.	489	lævifolium, Hack.	300
Ottelia	293	madagascariense, Spreng.	300
paucifolia, A. Rich.	293	maximum, Jacq.	300
vesiculata, Ridl.	293	var. trichoglume	300
OXALIDACEAE	386	monodaetylum, Nees	300
Oxalis	386	mysuroides, R. Br.	300
corniculata, L.		nigropedatum, Munro	300
var. stricta, Oliv.	386	ramosum, L.	300
semiloba, Sond.	386	repens, L.	300
Oxyanthus	491	sanguinale, L.	301
Gerrardi, Sond.	491	var. ciliare, Hook. f.	301
Swynnertonii, S. Moore	491	serratum, Spreng.	301
var. breviflorus, S. Moore	491	v. holosericeum, Hack.	301
Oxygonum	346	staginum, Retz.	301
alatum, Burch.	346	Swynnertonii, Rendle	301
dregeanum, Meisn.	346	trichopus, Hochst.	301
pubescens, C. H. Wright	347	uncinatum, Raddi	301
Zeyheri, Sond.	347	zizanioides, H. B. K.	301
Oxytenanthera	310	PAPAVERACEAE	355
abyssinica, Munro	310	Pappea	406
Pachycarpus		capensis, E. & Z.	406
concolor, E. Mey.	448	fulva, Conrad	406
Pachystela		Pappophorum	307
cinerea, Pierre	437	molle, Kunth.	307
Pachystigma	494	Parasia	
Cienkowski, (Schwef.)	494	grandis, Hiern.	443
lateritica, (K. Krause)	494	Parastranthus	
obovata, (N. E. Br.)	494	thermalis, Sond.	502
		Parinarium	360

	PAGE		PAGE
Parinarium—		Pelargonium	386
capense, <i>Harv.</i>	360	aconitophyllum, <i>E. & Z.</i>	386
curatellaefolium, <i>Planch.</i>	360	Peltophorum	368
Gilletii, <i>De Wild.</i>	360	africanum, <i>Sond.</i>	368
Mobola, <i>Oliv.</i>	360	Pennisetum	303
Parmelia sp.	277	<i>Benthamii</i> , Steud.	303
Paropsia	422	cenchrroides, <i>Rich.</i>	303
reticulata, <i>Engl.</i>	422	<i>ciliare</i> , Link.	303
Paspalum	299	<i>dioicum</i> , Rich.	303
scrobiculatum, <i>L.</i>	299	<i>hordeiforme</i> , Spreng.	303
semialatus, <i>Hook. f.</i>		<i>longisetum</i> , K. Schum.	303
var. <i>Ecklonii</i> , Stapf	299	macrourum, <i>Trin.</i>	303
PASSIFLORACEAE	424	purpureum, <i>Schumach.</i>	303
Paullinia	405	setosum, <i>Rich.</i>	303
pinnata, <i>L.</i>	405	unisetum, <i>Benth.</i>	303
Pavetta	494	<i>Pentagonia</i>	
angolensis, <i>Hiern.</i>	494	<i>physalodes</i> , Hiern	468
assimilis, <i>Sond.</i>	495	Pentaniaisia	492
Cecilae, <i>N. E. Br.</i>	495	<i>crassifolia</i> , K. Krause	492
comostyla, <i>S. Moore</i>	495	rhodesiana, <i>S. Moore</i>	492
Eylesii, <i>S. Moore</i>	495	Schweinfurthii, <i>Hiern.</i>	492
gardeniaefolia, <i>Hochst.</i>	495	sericocarpa, <i>S. Moore</i>	492
luteola, <i>Stapf</i>	495	variabilis, <i>Harv.</i>	492
neurophylla, <i>S. Moore</i>	495	var. <i>intermedia</i> , <i>Sond.</i>	492
obovata, <i>E. Mey.</i>	495	Pentarrhinum	450
schumanniana, <i>K. Hoffm.</i>	495	insipidum, <i>E. Mey.</i>	450
stipulopallium, <i>K. Schum.</i>	495	Pentas	489
Swynnertonii, <i>S. Moore</i>	495	carnea, <i>Benth.</i>	489
Pavonia	414	nobilis, <i>S. Moore</i>	489
clathrata, <i>Mast.</i>	414	purpurea, <i>Oliv.</i>	489
columella, <i>Cav.</i>	414	Woodii, <i>Scott-Elliott</i>	489
galpiniana, <i>Schinz.</i>	414	<i>Pentascistis</i>	
macrophylla, <i>E. Mey.</i>	414	<i>inermis?</i>	305
Meyheri, <i>Mast.</i>	414	<i>Pentodon</i>	
schimperiana, <i>Hochst.</i>	414	<i>decumbens</i> , Hochst.	347
PEDALIACEAE	477	Peperomia	337
Peddiea	424	brachytrichoides, <i>Engl.</i>	337
Dregei, <i>Meisn.</i>	424	mascharena, <i>C. DC.</i>	337
Pedicellaria		reflexa, <i>A. Dietr.</i>	338
<i>pentaphylla</i> , Schrank	356	Peponium, (<i>Peponia</i>)	499
Pegoletia	513	chirindensis, <i>Bak. f.</i>	499
senegalensis, <i>Cass.</i>	513	<i>Perdicium</i>	522
Pellaea	284	<i>abyssinicum</i> , Hiern	522
burkeana, <i>Bk.</i>	284	<i>pitoselloides</i> , Hiern	522
calomelanos, <i>Lk.</i>	284	<i>Periglossum</i>	
consobrina, <i>Hk.</i>	284	<i>kassnerianum</i> , Schltr.	448
Doniana, <i>Hk.</i>	284	<i>mossambicensis</i> , Schltr.	448
<i>dura</i> , <i>Hk.</i>	284	Peristrophe	485
geraniaefolia, <i>Fée</i>	284	<i>usta</i> , <i>C. B. Cl.</i>	485
hastata, <i>Lk.</i>	285	Perotis	298
var. <i>glauca</i> , <i>Sim</i>	285	<i>indica</i> , <i>Schum.</i>	298
var. <i>macrophylla</i> , <i>Hk.</i>	285	<i>latifolia</i> , <i>Ait.</i>	298
pectiniformis, <i>Bk.</i>	285	Petalidium, sp.	481

	PAGE		PAGE
Petunia	470	Pilostyles—	
violacea, <i>Lindl.</i>	470	aethiopica, <i>Welw.</i>	345
Peucedanum	434	PINACEAE	292
araliaceum, <i>Bth. & Hk.</i>	434	Piper	337
benguellensis, (<i>Welw.</i>)	434	capense, <i>L.</i>	337
fraxinifolium, <i>Hiern</i>	434	PIPERACEAE	337
Pharnaceum	350	Piptadenia	364
salsoloides, <i>Burch.</i>	350	Buchanani, <i>Bak.</i>	364
verrucosum, <i>E. & Z.</i>	350	PITTOSPORACEAE	359
Zeyheri, <i>Sond.</i>	350	Pittosporum	359
Phaseolus	384	viridiflorum, <i>Sims</i>	359
lunatus, <i>L.</i>	384	<i>Placus</i>	
Phaylopsis	481	<i>gariepinus</i> , <i>O. Ktze.</i>	509
longifolia, <i>T. Thoms.</i>	481	<i>lacerus</i> , <i>O. Ktze.</i>	509
parviflora, <i>Willd.</i>	481	Plagiochasma sp.	278
Philgrophyllum		Platyceerium	288
Schinzii, <i>O. Hoffm.</i>	513	alicerne, <i>Desv.</i>	288
Philippia	435	Plectranthus	463
hexandra, <i>S. Moore</i>	435	caudatus, <i>S. Moore</i>	463
milanjensis, <i>Brit. & Rndl.</i>	435	chimanimanensis, <i>S. Moore</i>	463
Simii, <i>S. Moore</i>	436	esculentus, <i>N. E. Br.</i>	463
Phoenix	316	floribundus, <i>N. E. Br.</i>	463
dactylifera, <i>L.</i>	316	var. <i>longipes</i> , <i>N. E. Br.</i>	464
reclinata, <i>Jacq.</i>	316	grandidentatus, <i>Gürke</i>	464
Phragmites	307	hoslundoides, <i>Bak.</i>	464
communis, <i>Trin.</i>	307	laxiflorus, <i>Benth.</i>	464
Phytica	407	marrubioides, <i>Hochst.</i>	464
paniculata, <i>Willd.</i>	407	matabelensis, <i>Bak.</i>	464
Phyllanthus	393	petrensis, <i>S. Moore</i>	464
floribundus, <i>Mill. Arg.</i>	393	selukwensis, <i>N. E. Br.</i>	464
graminicola, <i>Hutch.</i>	393	Swynnertonii, <i>S. Moore</i>	464
hutchinsonianus, <i>S. Moore</i>	393	Plectronia	493
<i>longifolius</i> , <i>Sond.</i>	393	abbreviata, <i>K. Schum.</i>	493
maderaspatisens, <i>L.</i>	393	ciliata, <i>Sond.</i>	493
myrtaceus, <i>Sond.</i>	393	Gueinzii, <i>Sim</i>	493
Niruri, <i>L.</i>	393	lanceiflora, (<i>Hiern</i>)	493
nummulariefolius, <i>Poir.</i>	393	livida, (<i>Hiern</i>)	493
pentandrus, <i>Schum. & Thonn.</i>	393	Oatesii, (<i>Rolfe</i>)	493
reticulatus, <i>Poir.</i>	393	Randii, (<i>S. Moore</i>)	493
Physalis	468	Swynnertonii, (<i>S. Moore</i>)	493
minima, <i>L.</i>	468	ventosa, <i>L.</i>	494
peruviana, <i>L.</i>	469	Pleiocarpa	445
<i>Physaloides</i>		Swynnertonii, <i>S. Moore</i>	445
<i>somnifera</i> , <i>Moench</i>	468	Pleiotaxis	520
Physcia	277	Antunessii, <i>O. Hoffm.</i>	520
flavicans, <i>DC.</i>	277	<i>Pleuroridgia</i>	
Physotrichia	434	<i>zanguibarica</i> , <i>Van Tghm.</i>	420
Swynnertonii, <i>Bak. f.</i>	434	Pluchea	
Phytolacca	350	Dioscoridis, <i>DC.</i>	509
<i>abyssinica</i> , <i>Hoffm.</i>	350	PLUMBAGINACEAE	437
dodecandra, <i>L'Hérit.</i>	350	Plumbago	437
PHYTOLACCACEAE	349	zeylanica, <i>L.</i>	437
Pilostyles	345	Podocarpus	292

	PAGE		PAGE
Podocarpus—		Polypodium—	
milanjiana, Rendle	292	incanum, Sw.	287
Thunbergii, Hook.		irioides, Lam.	288
var. <i>falcata</i>	292	lanceolatum, L.	288
PODOSTEMONACEAE	357	lepidotum, Willd.	288
Podranea	477	normale, Don	288
Brycei, Sprague	477	obtusilobum, Desv.	288
Poecilostachys	310	phymatodes, L.	288
flaccidula, Stapf	310	proliferum, Presl.	288
Pogonarthria	308	unitum, Hook.	288
<i>falcata</i> , Rendle	308	Polystachya	335
Marlothii, Hack.	308	Hislopil, Rolfe	335
Polia		Polystictus	277
arenaria, Lour.	351	sanguineus, Meyer	277
Pollichia	351	Popowia	354
campestris, Ait.	351	obovata, Engl. & Diels	354
Pollinia	294	Porphyrostemma	510
villosa, Spreng.	294	alata ?	510
Polycarpea	351	Portulaca	351
corymbosa, Lam.	351	<i>cafra</i> , Thunb.	351
Polygala	390	PORTULACACEAE	351
abyssinica, Fresn.	390	Potamogeton	292
africana, Chod.	390	fluitans, Roth.	292
amatymbica, E. & Z.	390	natans, L.	293
arenaria, Willd.	391	pusillum, L.	293
capillaris, E. Mey.	391	POTAMOGETONACEAE	292
erioptera, DC.	391	Pouzolzia	340
gazensis, Bak. f.	391	hypoleuca, Wedd.	340
hottentotta, Presl.	390	Pretrea	479
latipetala, N. E. Br.	391	<i>eriocarpa</i> , Deene	479
livingstoniana, Chod.	391	zanguebarica, J. Gay	479
micrantha, Guill. & Perr.	390	PRIMULACEAE	436
persicariæfolia, DC.	391	Prismatocarpus sp.	499
petitiana, Rich.	391	Priva	459
rarifolia, Link.	391	leptostachya, Juss.	459
retusa, Hochst.	391	Protea	341
rigens, A. DC.	391	abyssinica, Willd.	341
triflora, L.	391	angolensis, Welw. var. <i>albiflora</i> , Engl.	341
virgata, Thunb.	391	grandiflora, Thunb.	341
var. <i>decora</i> , Harv.	391	madiensis, Oliv.	341
POLYGALACEAE	390	maschonica, Engl.	341
POLYGONACEAE	346	mellifera, Thunb.	341
Polygonum	346	Swynnertonii, S. Moore	342
acuminatum, H. B. & K.	346	uhensis, Engl.	342
aviculare, L.	346	PROTEACEAE	340
barbatum, L.	346	Pseudarthria	379
<i>herniarioides</i> , Del.	346	Hookeri, Wight & Arn.	379
plebeium, R. Br.	346	Pseudocalyx	481
serrulatum, Log.	346	africanus, S. Moore	481
tomentosum, Willd.	346	Pseudolachnostylis	392
POLYPODIACEAE	279	Dekindtii, Pax	392
Polypodium	287	maprouneæfolia, Pax	392
africanum, Mett.	287		

	PAGE		PAGE
Psiadia	507	<i>Pycneus</i> —	
arabica, <i>Jaub. & Spach</i>	507	<i>polystachyus</i> , Beauv.	312
Psilotrichum	348	<i>Pygeum</i>	360
gracilentum, <i>C. B. Cl.</i>	348	<i>africanum</i> , <i>Hook. f.</i>	360
Psilotum	291	<i>Quisqualis</i>	429
triquetrum, <i>Sw.</i>	291	<i>indica</i> , <i>L.</i>	429
Psoralea	375	<i>Racopilum</i> sp.	278
<i>foliosa</i> , <i>Oliv.</i>		RAFFLESACEAE	345
<i>var. gazensis</i> , <i>Bak. f.</i>	375	<i>Randia</i>	490
Psorospermum	420	<i>vestita</i> , <i>S. Moore</i>	490
<i>febrifugum</i> , <i>Spach</i>	420	RANUNCULACEAE	352
Psychotria	495	<i>Ranunculus</i>	353
<i>hirtella</i> , <i>Oliv.</i>	495	<i>pinnatus</i> , <i>Poir.</i>	353
Pteleopsis	429	<i>plebeius</i> , <i>R. Br.</i>	353
<i>myrtifolia</i> , <i>Engl. & Diels</i>	429	<i>pubescens</i> , <i>Thunb.</i>	353
<i>Pteridium</i>		<i>Rapanea</i>	436
<i>aquilinum</i> , <i>Kuhn.</i>	287	<i>umbratilis</i> , <i>S. Moore</i>	436
Pteris	287	Raphiacme (<i>Raphionacme</i>)	446
<i>aquilina</i> , <i>L.</i>	287	<i>lanceolata</i> , <i>Schinz</i>	
<i>var. lanuginosa</i> , <i>Hk.</i>	287	<i>var. latifolia</i> , <i>N. E. Br.</i>	446
<i>arguta</i> , <i>Sw.</i>	287	<i>longifolia</i> , <i>N. E. Br.</i>	446
<i>atrovirens</i> , <i>Willd.</i>	287	<i>procumbens</i> , <i>Schltr.</i>	446
<i>brevisora</i> , <i>Bak.</i>	287	Rauwolfia	445
<i>cretica</i> , <i>L.</i>	287	<i>caffra</i> , <i>Sond.</i>	445
<i>flabellata</i> , <i>Thunb.</i>	287	<i>inebrians</i> , <i>K. Schum.</i>	445
<i>longifolia</i> , <i>L.</i>	287	Rawsonia	422
<i>quadriaurita</i> , <i>Retz.</i>	287	<i>lucida</i> , <i>Harr. & Sond.</i>	422
Pterocarpus	379	RHAMNACEAE	406
<i>angolensis</i> , <i>A. DC.</i>	379	<i>Rhamnus</i>	407
<i>echinatus</i> , <i>DC.</i>	379	<i>prinoides</i> , <i>L'Herit.</i>	407
<i>erinaceus</i> , <i>Poir.</i>	379	<i>Rhamphicarpa</i>	476
<i>melliferus</i> , <i>Welw.</i>	380	<i>fistulosa</i> , <i>Benth.</i>	476
<i>sericeus</i> , <i>Benth.</i>	380	<i>montana</i> , <i>N. E. Br.</i>	476
Pterocelastrus	404	<i>tubulosa</i> , <i>Benth.</i>	476
<i>rostratus</i> , <i>Walp.</i>	404	Rhigozum	477
Pterodiscus	477	<i>brevispinosum</i> , <i>O. Ktze.</i>	477
<i>Elliotii</i> , <i>Bak.</i>	477	Rhinacanthus	486
<i>speciosus</i> , <i>Hook.</i>	477	<i>communis</i> , <i>Nees</i>	486
Pteroglossaspis sp.	337	Rhipsalis	424
Pterolobium	368	<i>Cassytha</i> , <i>Gaertn.</i>	424
<i>lacerans</i> , <i>R. Br.</i>	368	RHIZOPHORACEAE	427
Pulicaria	513	Rhoicissus	408
<i>capensis</i> , <i>DC.</i>	513	<i>capensis</i> , <i>Planch.</i>	408
<i>longifolia</i> , <i>Boiss.</i>	513	<i>cuneifolia</i> , <i>Planch.</i>	408
Pycnostachys	463	<i>erythroides</i> , <i>Planch.</i>	408
<i>remotifolia</i> , <i>Bak.</i>	463	<i>var. ferruginea</i> , <i>Planch.</i>	408
<i>reticulata</i> , <i>Benth.</i>	463	<i>rhomboidea</i> , <i>Planch.</i>	408
<i>urticifolia</i> , <i>Hook.</i>	463	<i>sansibarensis</i> , <i>Gülg.</i>	408
<i>Pycneus</i>		Rhus	402
<i>betschuanus</i> , <i>C. B. Cl.</i>	311	<i>bulawayensis</i> , <i>Diels</i>	402
<i>globosus</i> , <i>Reichb.</i>		<i>chirindensis</i> , <i>Bak. f.</i>	402
<i>var. nilagirica</i> , <i>C. B. Cl.</i>	312		
<i>Mundtii</i> , <i>Nees</i>	312		

	PAGE		PAGE
Rhus—		Riocreuxia	451
<i>erosa</i> , <i>Thunb.</i>	402	<i>profusa</i> , <i>N. E. Br.</i>	451
<i>lævigata</i> , <i>L.</i>	402	Rogeria	478
<i>lancea</i> , <i>Linn. f.</i>	402	<i>adenophylla</i> , <i>J. Gay</i>	478
<i>lanceolata</i> ?	402	Rosaceae	359
<i>leptodictya</i> , <i>Diels</i>	402	Rotala	425
<i>lucida</i> , <i>L.</i>	402	<i>cataractae</i> , <i>Koehne</i>	425
<i>mucronifolia</i> , <i>Sond.</i>	402	<i>filiformis</i> , <i>Hiern</i>	425
<i>paniculosa</i> , <i>Sond.</i>	402	<i>heteropetala</i> , <i>Koehne</i>	
<i>pulcherrima</i> , <i>Oliv.</i>	402	<i>var. Engleri</i> , <i>Koehne</i>	426
<i>rehmannia</i> , <i>Engl.</i>	402	<i>longistyla</i> , <i>Gibbs</i>	426
<i>salicifolia</i> , <i>Presl.</i>	402	Rothia	369
<i>Sonderi</i> , <i>Engl.</i>	402	<i>hirsuta</i> , <i>Bak.</i>	369
<i>var. pilosa</i> , <i>Engl.</i>	403	Rottboellia	294
<i>tenuinervis</i> , <i>Engl.</i>	403	<i>compressa</i> , <i>L.</i>	294
<i>tomentosa</i> , <i>L.</i>	403	<i>var. fasciculata</i> , <i>Hack.</i>	294
<i>trifoliolata</i> , <i>Bak. f.</i>	403	<i>exalata</i> , <i>Linn. fil.</i>	294
<i>villosa</i> , <i>Linn. f.</i>	403	Rourea sp.	360
<i>Welwitschii</i> , <i>Engl.</i>		Royena	438
<i>var. angustifolia</i> , <i>Bak. f.</i>	403	<i>hirsuta</i> , <i>L.</i>	438
Rhynchosia	381	<i>pallens</i> , <i>Thunb.</i>	438
<i>adenodes</i> , <i>E. & Z.</i>	381	<i>pubescens</i> , <i>Willd.</i>	438
<i>atennulifera</i> , <i>Bak.</i>	381	<i>villosa</i> , <i>L.</i>	438
<i>caribaea</i> , <i>DC.</i>	381	Rubia	497
<i>clivorum</i> , <i>S. Moore</i>	381	<i>cordifolia</i> , <i>L.</i>	497
<i>congensis</i> , <i>Bak.</i>	381	<i>petiolaris</i> , <i>DC.</i>	497
<i>cyanosperma</i> , <i>Benth.</i>	382	Rubiaceae	487
<i>flavissima</i> , <i>Hochst.</i>	382	Rubus	359
<i>Memnonia</i> , <i>DC.</i>		<i>Mundtii</i> , <i>Chm. & Schl.</i>	359
<i>var. prostrata</i> , <i>Harv.</i>	382	<i>rigidus</i> , <i>Smith</i>	359
<i>minima</i> , <i>DC.</i>	382	<i>var. Mundtii</i> , <i>Harv.</i>	359
<i>monophylla</i> , <i>Schltr.</i>	382	Ruellia	483
<i>Orthodanum</i> , <i>Benth.</i>	382	<i>ovata</i> , <i>Thunb.</i>	483
<i>puberula</i> , <i>Harv.</i>	382	<i>patula</i> , <i>Jacq.</i>	483
<i>resinosa</i> , <i>Hochst.</i>	382	<i>prætermissa</i> , <i>Lindau</i>	483
<i>Totta</i> , <i>DC.</i>	382	Rumex	346
<i>viscidula</i> , <i>Steud.</i>	382	<i>abyssinicus</i> , <i>Jacq.</i>	346
Rhytachne sp.	294	<i>nepalensis</i> , <i>Spreng.</i>	346
Riccia	278	Rutaceae	387
<i>fluitans</i> , <i>L.</i>	278	Saccharum	294
Richardia		<i>munroanum</i> , <i>Hack.</i>	294
<i>melanolenca</i> , <i>Hook. f.</i>	317	Saccolabium sp.	337
<i>scabra</i> , <i>L.</i>	497	SALICACEAE	338
Richardsonia	497	Salix	338
<i>brasilienis</i> , <i>Hayne</i>	497	<i>capensis</i> , <i>Thunb.</i>	338
<i>scabra</i> , <i>St. Hil.</i>	497	<i>ramiflora</i> , <i>R. v. Seem.</i>	338
Ricinodendron	398	<i>Salsaf</i> , <i>Forst.</i>	338
<i>Rautanenii</i> , <i>Schinz</i>	398	Salvia	462
Ricinus	397	<i>runcinata</i> , <i>Linn. f.</i>	462
<i>communis</i> , <i>L.</i>	397	<i>stenophylla</i> , <i>Burch.</i>	462
Rinorea	421	Samolus	436
<i>convallarioides</i> , <i>(Bk. f.)</i>	421	<i>Valerandi</i> , <i>L.</i>	436
<i>gazensis</i> , <i>(Bk. f.)</i>	422		

	PAGE		PAGE
<i>Sanicula</i>	433	<i>Schmidelia</i> —	
<i>europæa</i> , <i>L.</i>	433	<i>rubrifolia</i> , <i>Hochst.</i>	405
<i>Sansevieria</i>	325	<i>Schmidtia</i>	
<i>angolensis</i> , <i>Welw.</i>	325	<i>bulbosa</i> , <i>Stapf</i>	307
<i>cylindrica</i> , <i>Boj.</i>	325	<i>pappophoroides</i> , <i>Steud.</i>	307
<i>senegalensis</i> ?.....	325	<i>Schotia</i>	365
SANTALACEAE.....	344	<i>brachypetala</i> , <i>Sond.</i>	365
SAPINDACEAE.....	405	<i>latifolia</i> , <i>Jacq.</i>	365
<i>Sapindus Pappæa</i> , <i>Sond.</i>	406	<i>Schrebera</i>	440
<i>Sapium</i>	398	<i>mazoensis</i> , <i>S. Moore</i>	440
<i>madagascariense</i> , <i>Prain</i>	398	<i>Scilla</i>	324
<i>Mannianum</i> , <i>Benth.</i>	398	<i>ciliata</i> , <i>Bak.</i>	324
SAPOTACEAE.....	437	<i>hispidula</i> , <i>Bak.</i>	324
<i>Sarcostemma</i>	450	<i>indica</i> , <i>Bak.</i>	324
<i>viminale</i> , <i>R. Br.</i>	450	<i>lanceæfolia</i> , <i>Bak.</i>	324
<i>Satureia</i>	462	<i>maesta</i> , <i>Bak.</i>	324
<i>biflora</i> , <i>Briq.</i>	462	<i>rigidifolia</i> , <i>Kunth.</i>	324
<i>masukensis</i> , (<i>S. Moore</i>).....	462	<i>Scirpus</i>	314
<i>Satyrium</i>	334	<i>articulatus</i> , <i>L.</i>	314
<i>Buchananii</i> , <i>Schl.</i>	334	<i>corymbosus</i> , <i>Roth.</i>	315
<i>macrophyllum</i> , <i>Lindl.</i>	334	<i>fluitans</i> , <i>L.</i>	315
<i>occulum</i> , <i>Rolfe</i>	334	<i>paludicola</i> , <i>Kunth.</i>	315
<i>trinerve</i> , <i>Lindl.</i>	334	<i>supinus</i> , <i>L.</i>	315
<i>speciosum</i> , <i>Rolfe</i>	334	<i>Scleria</i>	316
SAXIFRAGACEAE.....	358	<i>Buchananii</i> , <i>Boeck.</i>	316
<i>Scabiosa</i>	498	<i>foliosa</i> , <i>A. Rich.</i>	316
<i>columbaria</i> , <i>L.</i>	498	<i>Sclerocarpus</i>	514
<i>Schefflerodendron</i>	376	<i>africanus</i> , <i>Jacq.</i>	514
<i>gazense</i> , <i>Bak. f.</i>	376	<i>Sclerocarya</i>	401
<i>Schepperia juncea</i> , <i>DC.</i>	356	<i>caffra</i> , <i>Sond.</i>	401
<i>Schistostephium</i>	516	<i>Sclerochiton</i>	484
<i>artemisiifolium</i> , <i>Bak.</i>	516	<i>harveyanus</i> , <i>Nees</i>	484
<i>heptalobum</i> , <i>Bth. & Hook.</i>	516	SCROPHULARIACEAE.....	470
<i>oxylobum</i> , <i>S. Moore</i>	516	<i>Scutellaria</i>	461
SCHIZAEACEAE.....	289	<i>Livingstonei</i> , <i>Bak.</i>	461
<i>Schizobasis</i>	322	<i>Sebæa</i>	442
<i>angolensis</i> , <i>Bak.</i>	322	<i>barbeyana</i> , <i>Schinz</i>	442
<i>Schizochilus</i>	335	<i>leiostyla</i> , <i>Gilg.</i>	442
<i>Cecili</i> , <i>Rolfe</i>	335	<i>Secamone</i>	450
<i>Schizoglossum</i>	447	<i>Alpini</i> , <i>Schult.</i>	450
<i>aciculare</i> , <i>N. E. Br.</i>	447	<i>Securidaca</i>	392
<i>biflorum</i> , <i>Schltr.</i>	447	<i>longipedunculata</i> , <i>Fres.</i>	392
<i>var. gwelense</i> , <i>N. E. Br.</i>	447	<i>var. parvifolia</i> , <i>Oliv.</i>	392
<i>Carsoni</i> , <i>N. E. Br.</i>	447	<i>spinosa</i> , <i>Sim</i>	392
<i>chirindense</i> , <i>S. Moore</i>	447	<i>Securinea</i>	393
<i>Eylesii</i> , <i>S. Moore</i>	448	<i>verrucosa</i> , <i>Benth.</i>	393
<i>gwelense</i> , <i>N. E. Br.</i>	447	<i>Seddera</i>	452
<i>Pentheri</i> , <i>Schltr.</i>	448	<i>capensis</i> , <i>Hal. f.</i>	452
<i>strictissimum</i> , <i>S. Moore</i>	448	<i>Selaginella</i>	291
<i>Schkuhria</i>	516	<i>imbricata</i> , <i>Spring.</i>	291
<i>bonariensis</i> , <i>L.</i>	516	<i>depressa</i> , <i>A. Braun.</i>	291
<i>Schmidelia</i>		<i>kraussiana</i> , <i>A. Braun.</i>	291
<i>alnifolia</i> , <i>Bak.</i>	405	<i>rupestris</i> , <i>Spreng.</i>	291

	PAGE		PAGE
SELAGINELLACEAE	291	Setaria—	
Selago	473	aurea, A. Br.	302
Ceciliae, (Rolfé).....	473	flabellata, Stapf	302
chongweensis, (Rolfé)	473	Gerrardii, Stapf	302
Hoepfneri, Rolfé	473	imberbis, Roem. & Schult.	302
Swynnertonii, (S. Moore)	473	italica, Beauv.	302
<i>Semonvillea fenestrata</i> , Fenzl.....	349	mauritiana, Spreng.....	303
Senecio	517	nigrirostris, Dur. & Sch.....	303
acervatus, S. Moore	517	verticillata, Beauv.	303
barbertonicus, Klatt.		<i>Shuterea</i>	453
var. microcephala, S. Moore	517	bicolor, Choisy	453
bupleuroides, DC.	517	Sida	413
coronatus, Harv.	518	acuta, Burm.	413
deltoides, Less.	517	capensis, E. & Z.	413
discifolius, Oliv.	517	carpinifolia, L.	413
erubescens, Ait.	517	cordifolia, L.	413
gazensis, S. Moore	517	longipes, E. Mey.....	413
homoplasticus, S. Moore.....	517	var. canescens, Szyszyl.....	413
var. tomentellus, S. Moore	517	rhombifolia, L.	413
lasiorhizus, DC.	517	Sideroxylon	437
latifolius, DC.	517	cinereum, (Pierre)	437
longiflorus, O. & H.....	517	Siegesbeckia	514
othonnæflorus, DC.	517	abyssinica, O. & H.....	514
oxyriaefolius, DC.....	517	Silene.....	351
picridifolus, DC.	517	Burchellii, Otth.	351
propior, S. Moore	517	SIMARUBACEAE	388
protracta, (S. Moore)	517	<i>Siphonanthus</i>	
purpureus, L.	518	glabra, Hiern	460
Randii, S. Moore	518	myricoides, Hiern	460
rosmarinifolius, Linn. f.....	518	Siphonoglossa	486
sagittata, (DC.).....	518	tubulosa, Lindau	486
sarmentosus, O. Hoffm.	518	Sium sp.	434
Serra, Sond.	518	Smilax	326
tamoides, DC.	518	kraussiana, Meisn.	326
tenellulus, S. Moore.....	518	Smithia	378
<i>Sericocoma</i>		nodulosa, Bak.	378
angustifolia, Hook. f.	348	strigosa, Benth.	378
<i>Sesamopteris</i>		thymodora, Bak. f.	378
pentaphylla, DC.	478	SOLANACEAE	468
Sesamum	478	Solanum	469
alatum, Thonn.	478	acanthocalyx, Klotzsch.	469
angustifolium, Engl.	478	aculeastrum, Dun.	469
Baumii, Stapf	478	bifurum, Hochst.	469
calycinum, Welw.....	478	delagoense, Dun.	469
capense, Burm. f.	478	incanum, L.	469
indicum, L.	478	indicum, L.	469
Sesbania	376	nigrum, L.....	469
ægyptiaca, Pers.	376	nodiflorum, Jacq.....	469
cinerascens, Welw.	376	pandureforme, E. Mey.	469
pubescens, DC.....	376	sodomeum	
punctata, DC.	376	var. Hermannii, Dun.	470
tetraptera, Hochst.	376	Sonchus	522
Setaria	402	Bipontini, Aschers.	

	PAGE		PAGE
<i>Sonchus</i> —		<i>Stemodiaera</i>	
var. <i>pinnatifidus</i> , O. & H.	522	<i>ceratophylloides</i> , Hiern	472
<i>elliotianus</i> , Hiern	523	<i>Stemodiopsis</i>	472
<i>macer</i> , S. Moore	523	<i>Eylesii</i> , S. Moore	472
<i>oleraceus</i> , L.	523	<i>humilis</i> , Skan.	472
<i>violaceus</i> , O. Hoffm.	523	<i>Sterculia</i>	419
<i>Sophora</i>	369	<i>diversicolor</i> ?	419
<i>zambesiaca</i> , Bak.	369	<i>livingstoneana</i> , Engl.	419
<i>Sopubia</i>	474	STERCULIACEAE	417
<i>cana</i> , Harv.	474	<i>Stereochlæna</i>	301
<i>leprosa</i> , S. Moore	474	<i>Jeffreysii</i> , Hack.	301
<i>ramosa</i> , Hochst.	474	<i>Streptocarpus</i> sp.	479
<i>simplex</i> , Hochst.	474	<i>Streptopetalum</i>	424
<i>dregeana</i> , Benth.	474	<i>serratum</i> , Hochst.	424
<i>Sparmannia</i>	410	<i>Striga</i>	476
<i>palmata</i> , E. Mey.	410	<i>coccinea</i> , Benth.	476
<i>Sorghum</i>		<i>elegans</i> , Benth.	476
<i>vulgare</i> , Pers.	297	<i>Forbesii</i> , Benth.	476
<i>Spermacoce</i>		<i>lutea</i> , Lour.	476
<i>dibrachiata</i> , Oliv.	497	<i>orobanchoides</i> , Benth.	476
<i>natalensis</i> , Hochst.	497	<i>Thunbergii</i> , Benth.	476
<i>Ruelliae</i> , DC.	497	<i>Strobilanthesis</i>	482
<i>stricta</i> , Linn. f.	497	<i>hircina</i> , S. Moore	482
<i>Sphacophyllum</i>	513	<i>Strophantus</i> sp.	446
<i>flexuosum</i> , Hutch.	513	<i>Strychnos</i>	441
<i>sparsum</i> , S. Moore	513	<i>Burtoni</i> , Bak.	441
<i>Spheranthus</i>	510	<i>matopensis</i> , S. Moore	441
<i>peduncularis</i> , DC.	510	<i>mellodora</i> , S. Moore	441
<i>Randii</i> , S. Moore	510	<i>micans</i> , S. Moore	441
<i>Steetzii</i> , O. & H.	510	<i>mitis</i> , S. Moore	441
<i>Spherothylax</i> sp.	357	<i>pungens</i> , Solered	441
<i>Sphedamnocarpus</i>	390	<i>spinosa</i> , Lam.	441
<i>Galphiniæfolius</i> , Szyszyl.	390	<i>tonga</i> , Gilg.	442
<i>pruriens</i> , Planch.	390	<i>Stylosanthes</i>	378
<i>pulcherimus</i> , Gilg.	390	<i>erecta</i> , Beauv.	378
<i>Sphenostylis</i>	385	<i>mucronata</i> , Willd.	378
<i>marginata</i> , E. Mey.	385	<i>Sutera</i>	471
<i>Sporobolus</i>	304	<i>atropurpurea</i> , Hiern	471
<i>centrifugus</i> , Nees	304	<i>Bolusii</i> , Hiern	471
<i>festivus</i> , Hochst.	304	<i>brunnea</i> , Hiern	471
var. <i>fibrosus</i> ?	304	<i>burkeana</i> , Hiern	471
var. <i>stuppeus</i> , Stapf	305	<i>Carvalhoi</i> , Skan.	471
<i>fimbriatus</i> , Nees	305	<i>fissifolia</i> , S. Moore	471
<i>indicus</i> , R. Br.	305	<i>floribunda</i> , O. Ktze.	471
var. <i>laxus</i> , Stapf	305	<i>micrantha</i> , Hiern	471
<i>panicoides</i> , Rich.	305	<i>Swartzia</i>	368
<i>pyramidalis</i> , Nees	305	<i>madagascariensis</i> , Desv.	368
<i>Stachys</i>	462	<i>Sweetia</i>	443
<i>æthiopica</i> , L.	462	<i>stellarioides</i> , Fich.	443
<i>Stapelia</i>	451	<i>Welwitschii</i> , Engl.	443
<i>gigantea</i> , N. E. Br.	451	<i>Swertia</i> sp.	522
<i>Marlothii</i> , N. E. Br.	451	<i>Swynnertonia</i>	451
		<i>cardinea</i> , S. Moore	451

	PAGE		PAGE
Synadenium	400	Tephrosia	
gazense, N. E. Br.	400	radicans, Welw	376
Synaptolepis	425	var. rhodesiaca, Bak. f.	376
longiflora, Gilg.	425	Teramnus	380
Synnema	481	labialis, Spreng.	380
Acinos, S. Moore	481	Terminalia	429
Syzygium	431	Brownii, Fresen.	429
benguelense, Engl.	431	prunioides, Laws.	429
cordatum, Hochst.	431	Randii, Bak. f.	430
guineense, DC.	431	sericea, Burch.	430
huillense, Engl.	431	var. angolensis, Hiern.	430
intermedium, Engl.	431	silozensis, Gibbs	430
ocurieuse, Benth.	431	spinosa, Engl.	430
Tacazzea	446	Stuhlmannii, Engl.	430
Kirkii, N. E. Br.	446	torulosa, F. Hoffm.	430
Tacca	329	trichopoda, Diels	430
pinnatifida, Forst.	329	velutina, Rolfe	430
TACCACEAE	329	Testudinaria	
Tagetes	516	sylvatica, Benth.	330
glandulifera, Schrank.	516	Tetrapleura sp.	363
minuta, L.	516	Tetratelia	
Talinum	351	maculata, Sond.	355
cafrum, E. & Z.	351	Thalietrum	353
Tannodia	395	rhynchocarpum, Dill. & Rich.	353
Swynnertonii, Prain	395	Thamnosma	387
Tarchonanthus	508	africanum, Engl.	387
caphoratus, L.	508	var. rhodesicum, Bak. f.	387
Tardavel	497	Themeda	298
arvensis, Hiern	497	Forskalii, Hochst.	
dibrachiata, Hiern	497	var. glauca, Hack.	298
scabra, Hiern	497	triandra, Forsk.	298
stricta, Hiern	497	var. glauca, Hack.	298
Tavaresia		var. imberbis, Hack.	298
angolensis, Welw.	451	Thesium	344
TAXACEAE	292	brevibarbatum, Pilger.	344
Teclea	388	goetzeanum, Engl.	344
natalense, Engl.	388	gracile, A. W. Hill	344
Swynnertonii, Bak. f.	388	multiramulosum, Pilger	344
Teconia		rhodesiacum, Pilger	344
Brycei, N. E. Br.	477	Rogersii, A. W. Hill	344
Teedia	471	scabridulum, A. W. Hill.	344
lucida, Rud.	471	Thespesia	417
Tephrosia	375	garckeana, F. Hoffm.	417
Apollinea, DC.	375	Thevetia	446
Forbesii, Bak.	375	nerifolia?	446
grandiflora, Pers.	375	Thunbergia	480
lupinifolia, DC.	375	affinis, S. Moore	480
var. digitata, DC.	375	alata, Boj.	480
lurida, Sond.	375	Bachmanni, Lindau	480
nyasae, Bak. f.	375	glaberrima, Lindau.	480
polystachya, E. Mey.	375	lancifolia, T. And.	480
purpurea, Pers.	376	Monroi, S. Moore.	480
		oblongifolia, Oliv.	481
		var. Berringtonii, Burkl.	481

	PAGE		PAGE
Thunbergia—		Trichodesma—	
Randii, <i>S. Moore</i>	481	zeylanicum, <i>R. Br.</i>	457
Swynnertonii, <i>S. Moore</i>	481	Tricholena	301
Thylachium	356	glabra, <i>Stapf.</i>	301
africanum, <i>Lour.</i>	356	rhodesiana, <i>Rendle</i>	302
verrucosum, <i>Klotzsch</i>	356	var. <i>glabrescens, Rendle</i>	302
THYMELAEACEAE	424	rosea, <i>Nees</i>	302
TILIACEAE	409	Trichoon	
Tiliacora	353	Phragmites, <i>Rendle</i>	307
unifera, <i>Oliv.</i>	354	Trichopteryx	305
Tillaea		gigantea, <i>Stapf</i>	305
pharnaceoides, <i>Hochst.</i>	358	simplex, <i>Hack.</i>	305
subulata, <i>Bth. & Hk. f.</i>	358	var. <i>minor, Stapf.</i>	305
Tinnea	461	Tricomaria	390
rhodesiana, <i>S. Moore</i>	461	macrocarpa?	390
zambesiaca, <i>Bak.</i>	461	Tripogon	306
Toddalia	387	abyssinicus, <i>Nees</i>	306
aculeata, <i>Pers.</i>	387	Tripteris	520
lanceolata, <i>Lam.</i>	387	amplexicaulis, <i>Less.</i>	520
natalensis, <i>Sond.</i>	388	monocephala, <i>O. & H.</i>	520
Todea	289	Tristachya	305
africana, <i>Willd.</i>	289	biseriata, <i>Stapf</i>	305
barbara, <i>S. Moore</i>	289	leucothrix, <i>Trin.</i>	305
Tolpis sp.	522	Tristicha	357
Tournefortia sp.	457	alternifolia, <i>Tul.</i>	357
Trachypogon	294	trifaria, <i>Tul.</i>	357
polymorphus, <i>Hack.</i>	294	Tritonia	331
Tragia	397	aurea, <i>Pappe.</i>	331
ambigua, <i>S. Moore</i>	397	Triumfetta	411
angustifolia, <i>Pax</i>	397	angolensis, <i>Sprague & Hutch.</i>	411
dioica, <i>Sond.</i>	397	annua, <i>L.</i>	411
Gardneri, <i>Prain</i>	397	annuletum, <i>Sprague</i>	411
kirkiana, <i>Müll. Arg.</i>	397	dekindtiana, <i>Engl.</i>	411
natalensis, <i>Sond.</i>	397	diversifolia, <i>E. Mey.</i>	411
Okanyua, <i>Pax</i>	397	effusa, <i>E. Mey.</i>	411
rhodesiae, <i>Pax.</i>	397	effusa, <i>E. Mey.</i>	412
Tragus	298	laxiflora, <i>Engl.</i>	412
racemosus, <i>All.</i>	298	Mastersii, <i>Bak. f.</i>	411
Trema	339	pilosa, <i>Roth.</i>	412
guineensis, <i>Priemer</i>	339	pilosa, <i>Roth.</i>	411
Tribulus	387	rhomboidea, <i>Jacq.</i>	412
terrestris, <i>L.</i>	387	Sonderi, <i>Fic. & Hiern</i>	412
Tricalysia	491	trichocarpa, <i>Sond.</i>	412
jasminiflora, <i>Hook.</i>	491	Welwitschii, <i>Mast.</i>	412
ligustrina, <i>S. Moore</i>	491	var. <i>laxiflora, Sprg. & Hitch.</i>	412
myrtifolia, <i>S. Moore</i>	491	var. <i>Rehmannii, Sprg. & Hitch.</i>	412
pachystigma, <i>K. Schum.</i>	491	Welwitschii, <i>Mast.</i>	411
Trichilia	389	Trochomeria	499
chirindensis, <i>Swyn. & Bk. f.</i>	389	macrocarpa, <i>Hook. f.</i>	499
emetica, <i>Vahl</i>	389	Trypsothema	424
Trichodesma	457	apetalum, <i>Bak. f.</i>	
angustifolium, <i>Harv.</i>	457	var. <i>serratum, Bak. f.</i>	424
physaloides, <i>A. DC.</i>	457	Mastersii?	424

	PAGE		PAGE
Trypophemina—		Vangueria—	
parvifolium, <i>Bak. f.</i>	424	<i>edulis</i> , Vahl.....	
pedatum, <i>Bak. f.</i>	424	var. <i>Bainesii</i> , Hiern.....	492
Tulbaghia.....	323	<i>esculenta</i> , <i>S. Moore</i>	492
<i>acutiloba</i> , <i>Harc.</i>	323	var. <i>glabra</i> , <i>S. Moore</i>	492
<i>alliacea</i> , <i>L. f.</i>	323	<i>infausta</i> , <i>Burch.</i>	492
<i>campanulata</i> , <i>N. E. Br.</i>	323	var. <i>virescens</i> , <i>Sond.</i>	492
TURNERACEAE.....	423	<i>munjiro</i> , <i>S. Moore</i>	493
Turræa.....	388	<i>Randii</i> , <i>S. Moore</i>	493
<i>Eylesii</i> , <i>Bak. f.</i>	388	<i>rhodesiana</i> , <i>S. Moore</i>	493
<i>nilotica</i> , <i>Kot. & Peyr.</i>	389	<i>velutina</i> , <i>Hiern</i>	493
<i>obtusifolia</i> , <i>Hochst.</i>	389	<i>Zeyheri</i> , <i>Sond.</i>	494
var. <i>matopensis</i> , <i>Bak. f.</i>	389	Vatica.....	
<i>Randii</i> , <i>Bak. f.</i>	389	<i>africana</i> , <i>Welw.</i>	
Typha.....	292	var. <i>glabra</i> , <i>Oliv.</i>	421
<i>australis</i> , <i>Sch. & Thonn.</i>	292	var. <i>hypoleuca</i> , <i>Oliv.</i>	421
TYPHACEAE.....	292	var. <i>laxa</i> , <i>Oliv.</i>	421
Uapaca.....	394	Vellozia.....	328
<i>Rirkiana</i> , <i>Müll. Arg.</i>	394	<i>equisetoides</i> , <i>Bak.</i>	328
<i>sansibarica</i> , <i>Pax</i>	394	<i>humilis</i> , <i>Bak.</i>	329
ULMACEAE.....	338	<i>retinervis</i> , <i>Bak.</i>	329
Ulot.....	278	VELLOZIACEAE.....	328
<i>crispa</i> , <i>Br. & Schup.</i>	278	<i>Vepris</i>	387
UMBELLIFERAE.....	433	<i>lanceolata</i> , <i>A. Juss.</i>	387
Urena.....	414	<i>paniculata</i> , <i>Lam.</i>	387
<i>lobata</i> , <i>L.</i>	414	<i>Verbena</i>	458
Urera.....	340	<i>officinalis</i> , <i>L.</i>	458
<i>obovata</i> , <i>Benth.</i>	340	VERBENACEAE.....	458
Urginea.....	323	<i>Vernonia</i>	503
<i>altissima</i> , <i>Bak.</i>	323	<i>acuminatissima</i> , <i>S. Moore</i>	503
<i>sanguinea</i> , <i>Schinz</i>	324	<i>Bainesii</i> , <i>O. & H.</i>	503
Urophyllum.....	490	<i>cinerea</i> , <i>Less.</i>	503
<i>symplocoides</i> , <i>S. Moore</i>	490	<i>cistifolia</i> , <i>O. Hoffm.</i>	
URTICACEAE.....	340	var. <i>rosea</i> , <i>O. Hoffm.</i>	503
Usnea.....	278	<i>fastigiata</i> , <i>O. & H.</i>	503
<i>barbata</i> , <i>Ach.</i>	278	<i>gerberæformis</i> , <i>O. & H.</i>	503
<i>longissima</i> , <i>Ach.</i>	278	<i>glabra</i> , <i>Vatke</i>	503
Utricularia.....	479	<i>gracilipes</i> , <i>S. Moore</i>	503
<i>exoleta</i> , <i>R. Br.</i>	479	var. <i>minor</i> , <i>S. Moore</i>	503
<i>firmula</i> , <i>Wetw.</i>	479	<i>hirsuta</i> , <i>Sch. Bip.</i>	503
<i>Gibbsiae</i> , <i>Stapf</i>	479	<i>Holstii</i> , <i>O. Hoffm.</i>	503
<i>Kirkii</i> , <i>Stapf</i>	480	<i>humilis</i> , <i>C. H. Wright</i>	503
<i>transrugosa</i> , <i>Stapf</i>	480	<i>integra</i> , <i>S. Moore</i>	504
<i>Welwitschii</i> , <i>Oliv.</i>	480	<i>Kraussii</i> , <i>Sch. Bip.</i>	504
Uvaria.....	354	<i>lancibracteata</i> , <i>S. Moore</i>	504
<i>gazensis</i> , <i>Seyn. & Bak. f.</i>	354	<i>livingstoniana</i> , <i>Hiern</i>	504
Vahlia.....	358	<i>mashonica</i> , <i>N. E. Br.</i>	504
<i>capensis</i> , <i>Thunb.</i>	358	<i>Melleri</i> , <i>O. & H.</i>	504
var. <i>linearis</i> , <i>E. Mey.</i>	359	<i>monocephala</i> , <i>Harc.</i>	504
<i>oldenlandioides</i> , <i>Roxb.</i>	359	<i>natalensis</i> , <i>Sch. Bip.</i>	504
Vangueria.....	492	<i>pauciflora</i> , <i>Less.</i>	504
<i>apiculata</i> , <i>K. Schum.</i>	492	<i>Petersii</i> , <i>O. & H.</i>	504
		<i>podocoma</i> , <i>Sch. Bip.</i>	505

	PAGE		PAGE
Vernonia—		Vitis spp.—	
porphyrolepis, <i>S. Moore</i>	505	<i>Thonningii</i> , Bak.	408
poskeana, <i>Vtk. & Hildbr.</i>		Vittaria	284
var. chlorolepis, <i>Steetz</i>	505	isotifolia, <i>Bory.</i>	284
purpurea, <i>Sch. Bip.</i>	505	<i>lineata</i> , Sw.	284
Randii, <i>S. Moore</i>	505		
senegalensis, <i>Less.</i>	505	Wahlenbergia	499
steetziana, <i>O. & H.</i>	505	arenaria, <i>A. DC.</i>	499
enoreana, <i>Oliv.</i>	505	banksiana, <i>A. DC.</i>	499
vitellina ?	505	Caledonica, <i>Sond.</i>	500
Wollastonii, <i>S. Moore</i>	505	mashonica, <i>N. E. Br.</i>	500
Woodii, <i>O. Hoffm.</i>	505	Oatesii, <i>Rolfe</i>	500
Vigna	384	rhodesiana, <i>S. Moore</i>	500
Buchneri, <i>Harms</i>	384	rivularis, <i>Diels ?</i>	500
Burchelli, <i>Harr.</i>	384	saginoidea, <i>S. Moore</i>	500
cærulea, <i>Bak.</i>	384	undulata, <i>A. DC.</i>	500
capensis, <i>Walp.</i>	384	virgata, <i>Engl.</i>	500
glabra, <i>Savi</i>	384	Zeyheri, <i>E. & Z.</i>	500
hirta, <i>Hook.</i>	384	Walayrida	
luteola, <i>Benth.</i>	384	<i>Ceciliae</i> , <i>Rolfe</i>	473
var. villosa, <i>Bak.</i>	384	<i>chongweensis</i> , <i>Rolfe</i>	473
marginata, <i>Benth.</i>	384	<i>Seynertonii</i> , <i>S. Moore</i>	473
nilotica, <i>Hook. fil.</i>	384	Walleria	328
nuda, <i>N. E. Br.</i>	384	nutans, <i>Kirk</i>	328
triloba, <i>Walp.</i>	384	Waltheria	419
voxillata, <i>Benth.</i>	384	americana, <i>L.</i>	419
Vinea		indica, <i>L.</i>	419
rosea, <i>L.</i>	445	Wedelia	514
Viola	422	abyssinica, <i>Vatke.</i>	514
abyssinica, <i>Steud.</i>	422	africana, <i>P. Beauv.</i>	514
VIOLACEAE	421	diversipapposa, <i>S. Moore</i>	514
Viscum	343	menotriche, <i>O. & H.</i>	514
combreticola, <i>Engl.</i>	343	Weihea	427
dichotomum, <i>Don</i>	343	Gerrardi, <i>Schinz</i>	427
matabelense, <i>Engl.</i>	343	Widdringtonia	
Menyarthii, <i>Engl. & Schz.</i>	343	<i>Mahoni</i> , <i>Masters</i>	292
tuberculatum, <i>A. Rich.</i>	344	<i>Whytei</i> , <i>Rendle.</i>	292
verrucosum, <i>Harc.</i>	344	Willughbya	
Vismia	420	scandens, <i>O. Ktze.</i>	506
corymbosa, <i>A. Chev.</i>	420	Wissadula	413
VITACEAE	408	hernandioides, <i>Gardner</i>	413
Vitex	459	rostrata, <i>Planch.</i>	413
Cienkowskii, <i>Kot. & Peyr.</i>	459	Withania	468
Eylesii, <i>S. Moore</i>	459	somnifera, <i>Dunal</i>	468
flavescens, <i>Rolfe</i>		Wormskioldia	423
var. parviflora, <i>Gibbs</i>	459	heterophylla, <i>Schum.</i>	423
gürkeana, <i>Engl.</i>	459	lobata, <i>Urb.</i>	423
isotjensis, <i>Gibbs</i>	459	longepedunculata, <i>Mast.</i>	423
Kirkii, <i>Bak.</i>	459	petersiana ?	423
Vitis spp.	408	tanacetifolia, <i>Klotzsch</i>	423
erythroides, <i>Welw.</i>	408		
jatrophioides, <i>Welw.</i>	409	Xanthium	514
obtusata, <i>Welw.</i>	408	spinosa, <i>L.</i>	514

	PAGE		PAGE
Xanthoxylum	387	Zaluzianskya—	
capense, <i>Harc.</i>	387	capensis, <i>Walp.</i>	472
Ximenia	345	Zantedeschia	317
americana, <i>L.</i>	345	melanoleuca, <i>Engl.</i>	
cafra, <i>Sond.</i>	345	var. tropicalis, <i>N. E. Br.</i>	317
Xymalos	354	Zea	293
monospora, <i>Baill.</i>	354	Mays, <i>L.</i>	293
XYRIDACEAE	317	Zehneria	
Xyris	317	macrocarpa, <i>Sond.</i>	499
capensis, <i>Thunb.</i>	317	ZINGIBERACEAE	333
dispar, <i>N. E. Br.</i>	317	Zizyphus	406
Hildebrandtii, <i>Nilss.</i>	317	espinosus ?	406
multicaulis, <i>N. E. Br.</i>	317	jujuba, <i>Lam.</i>	406
obscura, <i>N. E. Br.</i>	317	var. nanus, <i>Engl.</i>	407
<i>Umbilonis</i> , <i>Nilss.</i>	317	muconata, <i>Willd.</i>	407
Xysmalobium	447	Zornia	378
bellum, <i>N. E. Br.</i>	447	diphylla, <i>Pers.</i>	378
Cecilae, <i>N. E. Br.</i>	447	tetraphylla, <i>Michx.</i>	378
dispar, <i>N. E. Br.</i>	447	Zygia	
gramineum, <i>S. Moore</i>	447	fastigiata, <i>E. Mey.</i>	361
reticulatum, <i>N. E. Br.</i>	447	ZYGOPHYLLACEAE	387
Zaluzianskya	472	Zygophyllum	387
		simplex, <i>L.</i>	387